



References

- Adams, D.M., R.J. Alig, D.J. Anderson, J.A. Stevens and J.T. Chmelik. 1992. Future prospects for western Washington's timber supply. Contribution Number 74, College of Forest Resources, University of Washington. 201 p.
- Adams, M.J. and R.B. Bury. 2002. The endemic headwater stream amphibians of the American Northwest: associations with environmental gradients in a large forested preserve. *Global Ecology and Biogeography*. Vol. 11, No. 2.
- Adams, P.B., C.B. Grimes, J.E. Hightower, S.T. Lindley and M.L. Moser. 2002. Status review for North American green sturgeon, *Acipenser medirostris*. Santa Cruz, CA: National Marine Fisheries Service, Southwest Fisheries Science Center.
- Adams, P.W., R.L. Beschta and H.A. Froehlich. 1988. Mountain Logging Near Streams: Opportunities and Challenges. Proceedings, International Mountain Logging and Pacific Northwest Skyline Symposium, December 1988. Portland, OR: Oregon State University, College of Forestry, Corvallis.
- American Wildlands (AWL) and Idaho Conservation League (ICL). 2000. Petition for an emergency rule to list the Kootenai River burbot (*Lota lota*) in Idaho as an endangered species throughout its range in the Kootenai River basin, Idaho, and designate critical habitat. Available at <http://www.biologicaldiversity.org/swcbd/species/sturgeon/burbot-petition.pdf>
- Anderson, S.P., W.E. Dietrich, R. Torres, D.R. Montgomery and K.M. Loague. 1997. Concentration-Discharge Relationships in runoff from a steep un-channeled catchment. *Water Resources Research* 33:211-225.
- Andrus, C.W., B.A. Long and H.A. Froelich. 1988. Woody debris and its contribution to pool formation in a coastal stream 50 years after logging. *Can. J. Fish. Aquat. Sci.* 45:2080-2086.
- Andrus, C.W. 1993. Issue #2: How rapidly does water that is warmed within a clearcut cool off once the stream enters a downstream reach? Oregon Department of Forestry issue paper dated August 25, 1995, Salem, OR. 6p. + tables and figures.
- Armstrong, R.H. and J.E. Morrow. 1980. The Dolly Varden char *Salvelinus malma*. In E.K. Balon, ed. *Charrs: Salmonid fishes of the genus Salvelinus* (1980), pp. 99-140. Dr. W. Junk, Publ., The Hague.

-
- Ashton, D.T. 2002. A comparison of abundance and assemblage of lotic amphibians in late-seral and second-growth redwood forests in Humboldt County, California. Arcata, CA: Humboldt State University, Masters thesis. 71 pp.
- Atterbury Consultants, Inc. 2003. Major forestland owners: Western Washington. Beaverton, OR: Atterbury Consultants.
- Aubry, K.B. and P.A. Hall. 1991. Terrestrial amphibian communities in the southern Washington Cascade Range. Pages 327-338 in L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. Huff, tech. coords. Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service, Gen. Tech. Report PNW-GTR-285.
- Baker, C.O. and F.E. Votapka. 1990. Fish passage through culverts. Report No. FHWA-FL-90-006. USDA Forest Service, Technology and Development Center, San Dimas, CA. 67 p.
- Baxter, C.V. and F.R. Hauer. 2000. Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout (*Salvelinus confluentus*). Can. J. Fish. Aquat. Sci. 57:1470-1481.
- Beamesderfer, R.C. 1992. Reproduction and early life history of northern squawfish, *Ptychocheilus oregonensis*, in Idaho's St. Joe River. Environmental Biology of Fishes 35:231-241.
- Beamesderfer, R.C. and A.A. Nigro. (editors). 1993. Status and habitat requirements of the white sturgeon populations in the Columbia River downstream from McNary Dam. Volume I. Bonneville Power Administration, Contract DE-AI79-86BP63584. Portland, OR.
- Benda, L.E., P Bigelow and T.M. Worsley. 2002. Recruitment of wood to streams in old-growth and second-growth redwood forests, northern California, U.S.A. Can. J. For. Res. 32:1460-1477
- Benda, L., D. Miller, J. Sias, D. Martin, R. Bilby, C. Veldhuisen and T. Dunne. In press. Wood recruitment processes and wood budgeting. In: Wood in World Rivers, American Fisheries Society, Washington, D.C.
- Beschta, R.L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. Wat. Res. 14(6):1011-1016.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. In: Streamside Management: Forestry and Fisheries Interactions, E.O. Salo and T.W. Cundy (eds.), College of Forest Resources, University of Washington, Seattle WA. Contribution No. 57.
- Beschta, R.L. 1991. Stream habitat management for fish in the northwestern United States: the role of riparian vegetation. American Fisheries Society Symposium 10:53-58.

-
- Bisson, P.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. In: *Streamside Management: Forestry and Fisheries Interactions*, E.O. Salo and T.W. Cundy (eds.), College of Forest Resources, University of Washington, Seattle WA. Contribution No. 57.
- Bilby, R.E. 1988. Interactions between aquatic and terrestrial systems. Pg. 13-29 in K.J. Raedeke, ed. *Streamside Management: Riparian Wildlife and Forestry Interactions*. Contribution No. 59, Institute of Forest Resources, University of Washington, Seattle, WA.
- Bilby, R.E., B.R. Fransen, and P.A. Bisson. 1996. Incorporation of nitrogen and carbon for spawning coho salmon into the trophic system of small streams: Evidence from stable isotopes. *Canada J. Aquatic Sciences*: 53:164-173.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat Requirements of Salmonids in Streams. In: *Stream Ecosystems*. In: Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751 pp.
- Blaustein, A.R., J.J. Beatty, D.H. Olson and R.M. Storm. 1995. The biology of amphibians and reptiles in old-growth forests in the Pacific Northwest. USDA Forest Service Gen. Tech. Rep. PNW-GTR-337. 98 pp.
- Blessing, B.J., E.P. Phenix, L.L.C. Jones, and M.G. Raphael. 1999. Nests of Van Dyke's salamander (*Plethodon vandykei*) from the Olympic Peninsula, Washington. *Northwestern Naturalist*. Vol. 80, pp. 77-81.
- Bragg, D.C., J.L. Kershne and D.W. Roberts. 2000. Modeling large woody debris recruitment for small streams of the central Rocky Mountains. Gen. Tech. Rpt. RMRS-GTR-55. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 36 p.
- Brazier, J.R. and G.W. Brown. 1973. Buffer strips for stream temperature control. Res. Pap. 15. Forest Research Laboratory, Oregon State University, College of Forestry, Corvallis, OR. 9 p.
- Brenkman, S. and S. Corbett. Olympic National Park. 2003. Seasonal movements of threatened bull trout (*Salvelinus confluentus*) in the Hoh River basin and coastal Washington. Abstract. Northwest Scientific Association meeting 2003, Forks, Washington.
- British Columbia Ministry of Environment, Lands, and Parks. 1993. Wildlife at risk in British Columbia: Salish sucker. BC Environment, Fisheries Branch. Victoria, BC.
- Brown, E.R. and J.T. Krygier. 1970. Effects of Clear-cutting on stream temperature. *Water Resources Research*. Vol. 6, pp. 1,133-1,139.

-
- Brown, G.W. 1973. The impact of timber harvest on soil and water resources. Extension Bulletin 827, Oregon State University Extension Service, College of Forestry, Corvallis, OR. 17 p.
- Brown, H.A. 1975. Temperature and development of the tailed frog, *Ascaphus truei*. Comparative Biochemistry and Physiology. Vol. 50, pp. 397-409.
- Brown, G.W. 1978. Oregon's forest practices act: an early appraisal. J. For. 76(12):782-783.
- Brown, G.W. 1989. Forestry and water quality. Oregon State University, College of Forestry, Corvallis, OR. 141 p.
- Brunke, M. and T. Gonser. 1997. The ecological significance of exchange processes between rivers and groundwater. Freshwater Biology 37:1-33.
- Bull, E.L. and B.E. Carter. 1996. Tailed frogs: distribution, ecology, and association with timber harvest in northeastern Oregon. USDA Forest Service, Portland, Oregon, Research Paper PNW-RP-497. 11 pp.
- Bureau of Land Management (BLM) and USDA Forest Service. 2004a. *Amending Resource Management Plans for Seven Bureau of Land Management Districts and Land and Resource Management Plans for Nineteen National Forests Within the Range of the Northern Spotted Owl – Decision to Clarify Provisions Relating to the Aquatic Conservation Strategy*. Retrieved (n.d.) from joint USFS and BLM Web site: http://www.reo.gov/acs/FINALROD03_17_04.pdf.
- Bureau of Land Management (BLM) and USDA Forest Service. 2004b. *Record of Decision to Remove or Modify the Survey and Manage Mitigation Measure Standards and Guidelines*. Retrieved (n.d.), from BLM Web site: http://www.or.blm.gov/nwfpnepa/FSEIS-2004/ROD/SM_ROD-2004/FSEIS.pdf
- Bureau of Land Management (BLM). 1994. *Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl*. Retrieved (n.d.), from BLM Web site: <http://www.or.blm.gov/ForestPlan/newroda.pdf>.
- Bureau of Land Management (BLM). 2002. *2002 Northwest Forest Plan Report*. Portland, OR: BLM.
- Bury, R.B. 1970. Food similarities in the tailed frog, *Ascaphus truei*, and the Olympic salamander, *Rhyacotriton olympicus*. Copeia 1970:170–171.
- Bury, R.B. and M.J. Adams. 2000. Inventory and monitoring of amphibians in North Cascades and Olympic National Parks, 1995–1998. Final Report, USGS, Forest and Rangeland Ecosystem Science Center in cooperation with Olympic National Park, Corvallis, Oregon.

-
- Bury, B. R. and P.S. Corn. 1988. Responses of aquatic streamside amphibians to timber harvest: a review. Pages 165-181 in K. J. Raedeke, editor. Streamside management, riparian wildlife and forestry interactions. Contribution No. 59, Institute of Forest Resources, University of Washington, Seattle, Washington.
- Bury, R.B., P.S. Corn, K.B. Aubry, F.F. Gilbert and L.L.C. Jones. 1991a. Aquatic Amphibian Communities in Oregon and Washington. Pages 353-362 in Wildlife and Vegetation of Unmanaged Douglas-fir Forests, PNW-GTR-285, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Bury, R.B., P.S. Corn and K.B. Aubry. 1991b. Regional patterns of terrestrial amphibian communities in Oregon and Washington. Pg. 341-350. In Ruggiero, L.F., K.B. Aubry, A.B. Carey and M.H. Huff (Eds.), Wildlife and Vegetation of Unmanaged Douglas-Fir Forests. General Technical Report PNW-GTR-285, USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Bury, R.B. and M. Martin. 1967. The food of the salamander *Rhyacotriton variegatus*. Copeia 1967:487.
- Butts, Sally. Personal Communication. 2004. Fish and Wildlife Biologist, USFWS, Lacey, WA.
- Caldwell, J.E., K. Doughty, and K. Sullivan. 1991. Evaluation of downstream temperature effects of type 4/5 waters. Timber/Fish/Wildlife Rep. No. TFW-WQ5-91-004. Washington Dept. Nat. Resources, Forest Practices Division, Olympia, WA. 71 p.
- Cambalik, J. 2001. Salmon Recovery in the Nearshore: A shared framework for the Hood Canal Coordinating Council and the North Olympic Peninsula Lead Entities.
- Cavender, T.M. 1978. Taxonomy and distribution of the bull trout (*Salvelinus confluentus*)(Suckley), from the American northwest. California Fish and Game 64:139- 174.
- Chamberlin, T.W., R.D. Harr and F.H. Everest. 1991. Timber Harvesting, Silviculture, and Watershed Processes. In: Stream Ecosystems. In: Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751 pp.
- Chapman, D.W. 1965. Net production of juvenile coho salmon in three Oregon streams. Transactions of the American Fisheries Society 94:40-52.
- Chen, J., J.F. Franklin and T.A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-growth Douglas-fir forest. Agricultural and Forest Meteorology, Volume 63, pages 219-237.
- Chen, J., J.F. Franklin and T.A. Spies. 1995. Growing-season microclimatic gradients from clear-cut edges into old-growth Douglas-fir forests. Ecological Applications, Volume 5, pages 74-86.

-
- Cheng, J.D., T.A. Black, J. DeVries, R.P. Willington, and B.C. Goodell. 1975. The evaluation of initial changes in peak streamflow following logging of a watershed on the west coast of Canada. *Wat. Resour. Res.* 25(3):449-456.
- City of Seattle. 1998. *Draft Cedar River Watershed Habitat Conservation Plan and EA/EIS Summary*. Seattle, WA: City of Seattle.
- City of Seattle. 2000. Cedar River Watershed Habitat Conservation Plan for the issuance of a permit to allow incidental take of threatened and endangered species.
- Close, D.A., M. Fitzpatrick, H. Li, B. Parker, D. Hatch and G. James. 1995. Status report of the Pacific lamprey (*Lampetra tridentata*) in the Columbia River basin. Prepared for: U.S. Dept. of Energy, B.P.A. Environment, Fish and Wildlife Project number 94-026, Portland, Oregon.
- Coffin, B.A. and R.D. Harr. 1992. Effects of forest cover on volume of water delivery to soil during rain-on-snow. Report No. TFW-SH1-92-001. Washington Department of Natural Resources – Forest Practices Division. Olympia, WA. 118 p.
- Collins, B.D., D.R. Montgomery and A.D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget lowland rivers. *Can. J. Fish. Aquat. Sci.* 59:66-76.
- Corkran, C.C. and C. Thoms. 1996. *Amphibians of Oregon, Washington, and British Columbia*. Lone Pine Publishing, Edmonton, Alberta. 175 pp.
- Corn, P.S. and R.B. Bury. 1989. Logging in western Oregon: response of headwater habitats and stream amphibians. *Forest Ecology and Management*. Vol. 29, pp. 39-57.
- Corn, P.S. and R.B. Bury. 1991. Terrestrial amphibian communities in the Oregon Coast Range. Pages 305-318 in L. F. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, tech. coords. *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service Gen. Tech. Rep. PNW-GTR-285. 533 p.
- Daugherty, C.H. and A.L. Sheldon. 1982. Age determination, growth and life history of a Montana population of the tailed frog (*Ascaphus truei*). *Herpetologica*. Vol. 38(4), pp. 461-468.
- Dent, L. and J.B.S. Walsh. 1997. Effectiveness of riparian management areas and hardwood conversions in maintaining stream temperature. Forest Practices Technical Report No. 3, Oregon Department of Forestry, Forest Practices Monitoring Program, Salem, OR. 58 p.
- de Vlaming, V.L. and R.B. Bury. 1970. Thermal selection in tadpoles of the tailed frog, *Ascaphus truei*. *Journal of Herpetology*. Vol. 4, pp. 179-189.

-
- DeVore, J.D. and J.T. Grimes. 1993. Migration and distribution of white sturgeon in the Columbia River downstream from Bonneville Dam and in adjacent marine waters. Pages 83-100 in: R.C. Beamesderfer and A.A. Nigro (editors). Status and habitat requirements of the white sturgeon populations in the Columbia River downstream from McNary Dam. Volume I. Bonneville Power Administration, Contract DE-AI79-86BP63584.
- DeVore, J.D., B. James and R. Beamesderfer. 1999. Lower Columbia River white sturgeon current stock status and management implications (Draft). Washington Department of Fish and Wildlife, Vancouver, WA. 26 pages.
- Diller, L.V. and R.L. Wallace. 1996. Distribution and habitat of *Rhyacotriton variegatus* in managed, young growth forests in north coastal California. Journal of Herpetology, Vol. 30, No. 2, pp. 184-191.
- Dumas, P.C. 1955. Eggs of the salamander *Plethodon dunni* in nature. Copeia. 1955, p. 65.
- Duncan, S. H. 1986. Peak Stream Discharge During Thirty Years of Sustained Yield Timber Management in Two Fifth Order Watersheds in Washington State. Northwest Science 60:258-264.
- Dunne, T. and L. B. Leopold. 1978. Water in Environmental Planning. W. H. Freeman and Company, New York, San Francisco.
- Dupuis, L. and D. Steventon. 1999. Riparian management and the tailed frog in northern coastal forests. Forest Ecology and Management. Vol. 124, pp. 35-43.
- Dvornich, K.M., K.R. McAllister and K. B. Aubry. 1997. Amphibians and Reptiles of Washington State: Location Data and Predicted Distributions, Volume 2 in Washington State Gap Analysis, Final Report, (K.M. Cassidy, C.E. Grue, M.R. Smith and K.M. Dvornich, eds.), Washington Cooperative Fish and Wildlife Research Unit, University of Washington, Seattle, 146 pp.
- Dyrness, C.T. 1969. Hydrologic properties of soils on three small watersheds in the western Cascades of Oregon. USDA For. Serv., Pac. Northwest Forest and Range Exp. Sta., Res. Note PNW-111. 17 p.
- Erman, D.C., J.D. Newbold and K.B. Roby. 1977. Evaluation of streamside bufferstrips for protecting aquatic organisms. Contribution 165. California Water Resources Center, University of California, Davis, CA. 48 p.
- Everest, F.J., R.L. Beschta, J.C. Scrivener, K.V. Koski, J.R. Sedell and C.J. Cederholm. 1987. Fine Sediment and Salmon Production: A Paradox. Streamside Management: Forest and Fishery Interactions. Proceedings of a Symposium. Seattle, Institute of Forest Resources, University of Washington. pp. 98-142.

-
- Everett, R., P. Hessburg, M. Jensen and B. Bormann. 1994. Eastside Forest Ecosystem Health Assessment, Executive Summary. USFS Gen. Tech. Rpt. PNW-317. (as cited in Knutson and Naef 1997).
- Featherston, K.L., R.J. Naiman, and R.E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* 13:133-144.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. U.S. Government Printing Office 1993-793-071. U.S. Government Printing Office for the U.S. Dept. of Agriculture, Forest Service; U.S. Dept. of the Interior, Fish and Wildlife Service, Bureau of Land Management, and National Park Service; U.S. Dept. of Commerce, NOAA and NMFS; and the U.S. EPA.
- Franklin, J.F. and C.T. Dyrness. 1973. Natural Vegetation of Oregon and Washington. *Gen. Tech. Rpt. PNW-8*. Portland, OR: USDA Forest Service, PNW Forest and Range Experiment Station.
- Frissell, C.A. 1999. An Ecosystem Approach to Habitat Conservation for Bull Trout: Groundwater and Surface Water Protection. Open File Report No. 156-99. Flathead Lake Biological Station, The University of Montana, Polson, MT.
- Furniss, M.J., T.D. Roelofs and C.S. Yee. 1991. Road Construction and Maintenance. In: Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751 pp.
- Geppert, R. R., C.W. Lorenz and A.G. Larson. 1984. Cumulative Effects of Forest Practices on the Environment, A State of the Knowledge. Prepared for the Washington Forest Practices Board. Washington Department of Natural Resources, Olympia, WA
- Goetz, F. 1989. Biology of the Bull Trout, *Salvelinus confluentus*, a Literature Review. Willamette National Forest, Eugene, Oregon, February 1989.
- Gomez, D.M. and R.G. Anthony. 1996. Amphibian and reptile abundance in riparian and upslope areas of five forest types in western Oregon. *Northwest Science* Vol. 70(2), pp. 109-119.
- Good, D.A., and D.B. Wake. 1992. Geographic variation and speciation in the torrent salamanders of the genus *Rhyacotriton olympicus* (Caudata: Rhyacotritonidae). University of California Publications in Zoology 126:1-91.
- Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy and J.R. Sedell. 1987. Influence of forest practices on aquatic production. In Salo, E.O. and T.W. Cundy (eds), p. 143-190. Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Contribution No.57.

-
- Gregory, S.V., F.J. Swanson and W.A. McKee. 1991. An ecosystem perspective of riparian zones. *BioScience* 40:540-551.
- Gregory, S.V. and P.A. Bisson. 1997. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. In: *Pacific Salmon and Their Ecosystems: Status and Future Options*, D.J. Stouder, P.A. Bisson and R.J. Naiman (eds.). Chapman and Hall, New York, NY.
- Grizzel, J.D. and N. Wolff. 1998. Occurrence of Windthrow in Forest Buffer Strips and its Effect on Small Streams in Northwest Washington. *Northwest Science*. Vol. 72(3):214-223.
- Grizzel, J.D., M. McGowan, D. Smith and T. Beechie. 2000. Streamside buffers and large woody debris recruitment: evaluating the effectiveness of watershed analysis prescriptions in the north Cascades region. Report No. TFW-MAG1-00-003. Washington Department of Natural Resources, Forest Practices Division, Olympia, WA. 37 p.
- Growth Management Services, Washington State Office of Community Development. (1999). *The Washington State Growth Management Act: An Overview*. Olympia, WA: Office of Community Development.
- Hagen, D.W., G.E.E. Moodie and P.F. Moodie. 1972. Territoriality and courtship in the Olympic mudminnow (*Novumbra hubbsi*). *Canadian Journal of Zoology*. Vol. 50, pp. 1111-1115.
- Hairston-Strang, A. B., P.W. Adams and G. G. Ice. 1998. Oregon's Forest Practice Rules and Forest Watershed Research.
- Hall, J.D., G.W. Brown and R.L. Lantz. 1987. The Alsea watershed study: a retrospective. Pages 399-416 in E.O. Salo and T.W. Cundy (eds.), *Streamside Management: Forestry and Fisheries Interactions*. Contribution No. 57, Institute of Forest Resources, Univ. of Washington, Seattle, WA.
- Hallock, L.A. and K.R. McAllister. 2002. Olympic Torrent Salamander. Washington Herp. Atlas. <http://www.dnr.wa.gov/nhp/refdesk/herp/>
- Hallock, Molly. Personal Communication. 2003. Fish Biologist, Washington Department of Fish and Wildlife, Olympia, Washington.
- Hallock, M. and P.E. Mongillo. 1998. Washington State status report for the pygmy whitefish. Washington Department of Fish and Wildlife, Olympia.
- Hanson, E., D. Hayes, L. Young, and J. Buchanan. 1993. Spotted owl habitat in Washington, a report to the Washington Forest Practices Board. Washington Forest Practices Board Spotted Owl Scientific Advisory Group. Olympia, WA

-
- Hardisty, M.W. and I.C. Potter. 1971. The behaviour, ecology and growth of larval lampreys. Pp. 85-125 *in*: The biology of lampreys. M.W. Hardisty and I.C. Potter, eds. Academic Press, London.
- Harmon, M.E., J.F. Franklin, F.J. Swanson, P. Sollins, S.V. Gregory, G.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, K. Cromack Jr. and K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. In: Advances in ecological research, A. MacFadyen and E.D. Fords (eds.). Academic Press, New York, NY.
- Harr, R.D., W.C. Harper, J.T. Krygier and F.S. Hsieh. 1975. Changes in storm hydrographs after roadbuilding and clearcutting in the Oregon Coast Range. *Wat. Resour. Res.* 11(3):436-444.
- Harris, C. 1974. The geographical distribution and habitat of the Olympic mudminnow, (*Novumbra hubbsi*) Shultz. University of Washington, Seattle. Masters thesis. 80 p.
- Hart, J.L. 1973. Pacific Fishes of Canada. Fisheries Research Board of Canada, Ottawa.
- Hayes, Marc. Personal Communication. 2003. Research Scientist. Washington Department of Fish and Wildlife. Olympia. Washington.
- Healy, M.C. 1982. Juvenile Pacific salmon in estuaries: the life support system. In V.S. Kennedy (ed). *Estuarine Comparisons*. p.315-341. Academic Press, New York, New York.
- Heatherington, E.D. 1987. Carnation Creek, Canada – review of a west coast fish/forestry watershed impact project. *IAHS* 167:531-537.
- Hewlett, J.D. and A.R. Hibbert. 1963. Moisture and Energy Conditions within a Sloping Soil Mass during Drainage. *Journal of Geophysical Research*. 68(4):1081-7.
- Hicks, M. 2000. Evaluating Standards for Protecting Aquatic Life in Washington's Surface Water Quality Standards. Temperature Criteria. Preliminary Review Draft Discussion Paper. Washington Department of Ecology. Water Quality Program, Olympia, Washington.
- Hicks, B.J., R.L. Beschta and R.D. Harr. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. *Water Res. Bull.* 27(2):217-226.
- Holthausen, R.S., R. Anthony, K. Aubry, K. Burnett, N. Fredricks, J. Furnish, R. Leshner, E.C. Meslow, M. Raphael, R. Rosentreter, and E.E. Starkey. 1994. Final Supplemental Environmental Impact Statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Appendix J2, Results of additional species analysis. USDA Forest Service and USDI Bureau of Land Management. Portland, OR. 476 pp.

-
- Hunter, M.G. 1998. Watershed-level patterns among stream amphibians in the Blue River watershed, west-central Cascades of Oregon. Unpublished Master's thesis. Oregon State University, Corvallis, Oregon.
- Isaak, D.J., W.A. Hubert and C.R. Berry, Jr. 2003. Conservation assessment for lake chub, mountain sucker, and finescale dace in the Black Hills National Forest, South Dakota and Wyoming. USDA Forest Service, Black Hills National Forest. Custer, SD.
- Jackson, C.R., D.P. Batzer, S.S. Cross, S.M. Haggerty, and C.A. Sturm. 2003. Recovery of amphibian and invertebrate communities in recently logged coastal range headwater streams. Unpublished report to the National Council for Air and Stream Improvement (NCASI). 116 pp.
- Jennings, M.R. and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game, Rancho Cordova, California.
- Johnson, Thom. Personal Communication. 2002. Fish Biologist. Washington Department of Fish and Wildlife, Port Townsend, Washington.
- Jones, L.L.C. 1989. *Plethodon vandykei* (Van Dyke's salamander): Reproduction. *Herpetological Review* 20(2):48.
- Jones, L.L.C. 1999. Survey protocol for the Van Dyke's salamander (*Plethodon vandykei*). Pp. 201-252 in: Olson, D.H., ed. Survey protocols for amphibians under the survey and manage provision of the Northwest Forest Plan. Version 3.0, October 1999. USDA Forest Service, Portland, OR.
- Jones, L.L.C. and M.G. Raphael. 2000. Diel patterns of surface activity and microhabitat use by stream-dwelling amphibians in the Olympic Peninsula. *Northwestern Naturalist* 81:78. [abstract].
- Katula, R. 1992. The northwestern Percopsis, the sand roller. *American Currents*. Volume 17, No. 1 (spring).
- Kauffman, J.B. 1988. The status of riparian habitats in the Pacific Northwest forests. Pg. 45-55 in K.J. Raedeke. ed. *Streamside Management: Riparian Wildlife and Forestry Interactions*. Contribution No. 59, Institute of Forest Resources, University of Washington, Seattle.
- Knutsen, K.L and V.L. Naef. 1997. Management recommendations for Washington's Priority Habitats: Riparian. Washington Department of Fish and Wildlife, Olympia, Washington.
- Kostow, K. 2002. Oregon lampreys: Natural history, status, and problem analysis. Oregon Department of Fish and Wildlife. Portland, OR. 112 pp.

-
- Kraemer, C. 1994. Some observations on the life history and behavior of the native char, Dolly Varden (*Salvelinus malma*) and bull trout (*Salvelinus confluentus*) of the north Puget Sound region. Draft. Washington Department of Fish and Wildlife, Olympia.
- Kraemer, Curt. Personal Communication. November 1999, District Fish Biologist. Washington Department of Fish and Wildlife.
- Kreutzweiser, D.P. and S.S. Capell. 2001. Fine sediment deposition in streams after selective forest harvesting without riparian buffers. *Can. J. For. Res.* 31:2134-2142.
- Ledwith, T. 1996. The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone. *WMC Networker*. Summer.
- Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister and J.R. Stauffer. 1980. Atlas of North American Freshwater Fishes. Publication #1980-12, Northern Carolina Biological Survey. pp. 24-34.
- Lee, D., J. Sedell, B. Rieman, R. Thurow and J. Williams. 1997. Broad scale assessment of aquatic species and habitats. Volume 3, Chapter 4 *in*: Quigley, T.M. and S.J. Arbelbide, tech. eds. An assessment of ecosystem components in the interior Columbia Basin and portions of the Klamath and Great basins. General Technical Report PNW-GTR-405. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Lehmkuhl, J.F. and L.F. Ruggiero. 1991. Forest fragmentation in the Pacific Northwest and its potential effects on wildlife. Pages 35-46 *in*: Wildlife and vegetation of unmanaged Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-285. USDA Forest Service, Pacific Northwest Research Station. Portland, OR.
- Leonard, W.P., H.A. Brown, L.L.C. Jones, K.R. McAllister and R.M. Storm. 1993. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle, Washington. 168 pp.
- Lettenmaier, D.P. 2003. Predicting the hydrologic implications of land use change in forested catchments. Chapman Conference on Ecosystem Interactions with Land Use Change. Santa Fe, New Mexico. July 2003.
- Lichatowich, Jim. 1993a. The status of Pacific salmon stocks in the Quilcene ranger district. US Dept Agriculture, US Forest Service, Olympic National Forest, Quilcene Ranger District.
- Lichatowich, Jim. 1993b. The status of anadromous fish stocks in the streams of eastern Jefferson County, Washington. Jamestown S'Klallam Tribe, Dungeness-Quilcene Pilot Project.
- Lister, D.B., D.E. Marshall and D.G. Hickey. 1980. Chum salmon survival and production at seven improved groundwater-fed spawning areas. *Can. Manuscript. Rep. of Fish. Aquat. Sci.* 1595.

-
- Lower Columbia Fish Recovery Board. (n.d.). *The Management Board*. Retrieved August 29, 2003, from Lower Columbia Fish Recovery Board
Web site: <http://www.lcfrb.gen.wa.us/board.htm>
- MacCracken. 2004. *Rhyacotriton cascadae* (Cascades torrent salamander): Nest. Herpetol. Rev. 33: *in press*.
- MacDonald, J.S., I.K. Birtwell and G.M. Kruzynski. 1987. Food and habitat utilization by juvenile salmonids in the Campbell River estuary. Can. J. Fish. Aquat. Sci. 44: 1233-1246.
- Marshall, A.R., C. Smith, R. Brix, W. Dammers, J. Hymer, and L. Lavoy. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. In Genetic Diversity Units and Major Ancestral Lineages of Salmonid Fishes in Washington. Washington Department of Fish and Wildlife Technical Report Number RAD 95-02.
- McAllister, K.R. 1995. Distribution of amphibians and reptiles in Washington State. Northwest Fauna 3:81–112.
- McArdle, R.E., W.H. Meyer and D. Bruce. 1961. The yield of Douglas-fir in the Pacific Northwest. Tech. Bull. 201 (rev.). USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. 74p.
- McCabe, G.T. and C.A. Tracy. 1993. Spawning characteristics and early life history of white sturgeon *Acipenser transmontanus* in the Lower Columbia River. Pages 19-46 in: R.C. Beamesderfer and A.A. Nigro (editors). Status and habitat requirements of the white sturgeon populations in the Columbia River downstream from McNary Dam. Volume I. Bonneville Power Administration, Contract DE-AI79-86BP63584.
- McComb, W.C., K. McGarigal and R.G. Anthony. 1993. Small mammal and amphibian abundance in streamside and upslope habitats of mature Douglas-fir stands, western Oregon. Northwestern Science. Vol. 67, pp. 7-15.
- McCune, D. and J. Schroedel. 1998. Exploration Northwest: Logging and Railroad History (video recording). KOMO TV. Seattle, WA
- McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. Can. J. For. Res. 20:326-330.
- McKinley, M. 1997. Large woody debris source distances for western Washington Cascade streams. Unpublished senior research project, University of Washington, College of Forest Resources, Seattle, WA. 36 p.
- McPhail, J. D. and R. Carveth. 1992. A foundation for conservation: the nature and origin of the freshwater fish fauna of British Columbia. Univ. of British Columbia, Dept. Zoology, Vancouver, British Columbia, Canada.

-
- McPhail, J.D. and V.L. Paragamian. 2000. Burbot biology and life history. Pages 11-23 in V.L. Paragamian and D.W. Willis, editors. Burbot: biology, ecology, and management. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, MD.
- Meehan, W.R. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751 pp.
- Megahan, W.F. 1981. Effects of silvicultural practices on erosion and sedimentation in the interior west: a case for sediment budgeting. In: D.M. Baumgartner (ed.), Interior West Watershed Management: Proceedings of a Symposium, p. 169-181. Washington State University, Pullman, WA.
- Meldrim, J.W. 1968. The ecological zoogeography of the Olympic mudminnow, *Novumbra hubbsi* Schultz. University of Washington, Seattle. PhD dissertation.
- Meyer, W.H. 1961. Yield of even-aged stands of ponderosa pine. Technical Bulletin No. 630. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR.
- Meyer, J.L., W.H. McDowell, T.L. Bott, J.W. Elwood, C. Ishizaki, J.M. Melack, B.L. Peckarsky, B.J. Peterson and P.A. Rublee. 1988. Elemental dynamics in streams. *Journal of the North American Benthological Society* 7:410-433.
- Millard, T., T.P. Rollerson and B. Thomson. 2002. Post-logging landslide rates in the Cascade Mountains, southwestern British Columbia. Res. Sec., Van. For. Reg., B.C. Min. For., Nanaimo, B.C. Tech. Rep. TR-023.2002.
- Miller, R.R. 1965. Quaternary freshwater fishes of North America. Pages 569-581 in the Quaternary of the United States. Princeton University Press, Princeton, New Jersey.
- Mitsch, W.J. and J.G. Gosselink. 2000. Wetlands. John Wiley & Sons, Inc. New York.
- Mongillo, P.E. and M. Hallock. 1999. Washington state status report for the Olympic mudminnow. Washington Department of Fish and Wildlife, Olympia. 36 pp.
- Moyle, P. B. 1976. Inland Fishes of California. University of California Press, Berkeley, California.
- Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E. D. Wikramanayake. 1995. Fish species of special concern in California. 2nd Edition. California Department of Fish and Game.
- Murphy, M.L. and K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *N. Am. J. Fish. Mngmnt.* 9: 427-436.

-
- Murphy, M.L. and W.R. Meehan. 1991. Stream Ecosystems. In: Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. 751 pp.
- National Marine Fisheries Service (NMFS). 2003. "Instructions for Program Submittals Under the Various Limits." *4(d) Rule Implementation Binder for Threatened Salmon and Steelhead on the West Coast*. Seattle, WA: NMFS Northwest Regional Office.
- National Research Council. 1996. Upstream: Salmon and Society in the Pacific Northwest. National Academy Press, Washington, D.C.
- Native Fish Research Group (NFRG). 2002. Feature fish: the speckled dace. Native Fish Research Group at UBC. Vancouver, BC. Available at <http://www.zoology.ubc.ca/~etaylor/nfrg/nfrg.html>
- NatureServe. 2003. *NatureServe Explorer: an online encyclopedia of life*. Version 1.8. Retrieved January 27, 2004, from NatureService, Arlington, VA. Web site: <http://www.natureserve.org/explorer>.
- Nielson, M., K. Lohman and J. Sullivan. 2001. Phylogeography of the tailed frog (*Ascaphus truei*): implications for the biogeography of the Pacific Northwest. *Evolution* 55:147-160.
- Nijhuis, M.J. and R.H. Kaplan. 1998. Movement patterns and life history characteristics in a population of the Cascade torrent salamander (*Rhyacotriton cascadae*) in the Columbia River Gorge, Oregon. *Journal of Herpetology* 32:301-304.
- Noble, G.K. 1925. An outline of the relation of ontogeny to phylogeny within the amphibian. *American Museum Novitates*. Vol. 166, pp. 1-10.
- Nordstrom, N. and R. Milner. 1997. Dunn's salamander and Van Dyke's salamander. Pages 2-1 to 2-14 in: E.M. Larsen, ed. Management recommendations for Washington's priority species, volume III: amphibians and reptiles. Washington Department of Fish and Wildlife, Olympia.
- Norris, L.A. 1967. Chemical brush control and herbicide residues in the forest environment. In: *Herbicides and Vegetation Management*. Oregon State University Press, Corvallis, OR.
- North, J.A., R.C. Beamesderfer and T.A. Rien. 1993. Distribution and movements of white sturgeon in three Lower Columbia River reservoirs. Pages 101-118 in: R.C. Beamesderfer and A.A. Nigro (editors). Status and habitat requirements of the white sturgeon populations in the Columbia River downstream from McNary Dam. Volume I. Bonneville Power Administration, Contract DE-AI79-86BP63584.
- Northwest Indian Fisheries Commission (NWIFC). n.d. The Salmon and Steelhead Habitat Inventory and Assessment Program. Fact sheet found at <http://www.nwifc.wa.gov/sshiap2/index/> (accessed on March 1, 2004).

-
- Northwest Fisheries Science Center (NWFSC). 2002. White paper: Predation on salmonids relative to the Federal Columbia River power system. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northwest Fisheries Science Center. Seattle, WA.
- North Atlantic Salmon Coalition (NOSC) Forage Fish Pages website. <http://www.nosc.org/sandlance.htm>.
- Nussbaum, R.A. 1969. A nest site of the Olympic salamander, *Rhyacotriton olympicus* (Gaige). *Herpetologica* 25:277-278.
- Nussbaum, R.A. and C.K. Tait. 1977. Aspects of the life history and ecology of the Olympic salamander, *Rhyacotriton olympicus* (Gaige). *The American Midland Naturalist*. Vol. 98, pp. 176-199.
- Nussbaum, R.A., E. D. Brodie, Jr. and R.M. Storm. 1983. *Amphibians and reptiles of the Pacific Northwest*. University Press of Idaho, Moscow, Idaho. 331 pp.
- Olympic Peninsula Management Unit Bull Trout Technical Guidance, *draft*, 2004. USFWS, Lacey, WA.
- Oregon Department of Environmental Quality (ODEQ). 1995. Temperature. Final issue paper. 1992-1994. Water quality standards review. Oregon Department of Environmental Quality, Portland, Oregon
- Oregon Department of Fish and Wildlife (ODFW). 1999. Conservation Status of Oregon Basin Redband Trout. Public Review Draft 4-12-99.
- Pacific Herring website. <http://www.oceanlink.island.net/oinfo/Pacificherring.html>.
- Page, L.M. and B.M Burr. 1991. *A field guide to freshwater fishes: North America north of Mexico*. Houghton Mifflin Co., Boston, MA. 432 pp.
- Peterson, N.P. 1982. Population characteristics of juvenile coho salmon overwintering in riverine ponds. *Canadian Journal of Fisheries and Aquatic Science*. 39:1303-1307.
- Petranka, J.W. 1998. *Salamanders of the United States and Canada*. Smithsonian Institution Press, Washington, DC. 587pp.
- Phillips, R.C. 1984. The ecology of eelgrass meadows in the Pacific Northwest: a community profile. FWS/OBS-84/24. US Fish and Wildlife Service.
- Pletcher, F.T. 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. Masters thesis. University of British Columbia, Vancouver.
- Plum Creek Timber Company, L.P. 1996. *Draft Multi-Species Habitat Conservation Plan*. Seattle, WA: Plum Creek.

-
- Pollock, M.M., and P.M. Kennard. 1998. A Low-risk Strategy for Preserving Riparian Buffers Needed to Protect and Restore Salmonid Habitat in Forested Watersheds of Washington. 10,000 Years Institute. Bainbridge Island, WA.
- Postel, S. and B. Richter. 2003. Rivers for Life. Island Press. Center for Resource Economics, Washington, D.C.
- Pratt, K.L. 1984. Habitat use and species interactions of juvenile cutthroat (*Salmo clarki lewisi*) and bull trout (*Salvelinus confluentus*), in the upper Flathead River basin. Univ. of Idaho. Moscow, Idaho. Masters Thesis. 95
- Pratt, K.L. 1992. A review of bull trout life history. in P.J. Howell and D.V. Buchanan. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis.
- Quigley, T.M. and Arbelbide, S.J., tech. eds. 1997. An assessment of ecosystem components in the interior Columbia basin and portions of the Klamath and Great Basins. Gen. Tech. Rep. PNW-GTR-405. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station; U.S. Department of the Interior, Bureau of Land Management. Portland, OR. 4 vol.
- Rashin, E. and C. Graber. 1992. Effectiveness of Washington's forest practice riparian management zone regulations for protection of stream temperature. Report No. TFW-WQ6-92-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, WA.
- Rashin, E., C. Clishe, A. Loch and J. Bell. 1999. Effectiveness of forest road and timber harvest best management practices with respect to sediment-related water quality impacts. Publication No. 99-317, Washington Department of Ecology, Environmental Assessment Program, Olympia, WA. 118 p.
- Ray, G.C. 1958. Vital limits and rates of desiccation in salamanders. Ecology. Vol. 39, pp. 75-83.
- Reinelt, L.E. and R.R. Horner. 1990. Characteristics of the hydrology and water quality of palustrine wetlands affected by urban stormwater. King County Resource Planning, Seattle, Washington.
- Richardson, C.J. 1994. Ecological functions and human values in wetlands: A framework for assessing forestry impacts. Wetlands 14(1):1-9.
- Rieman, B.E. and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. U.S. Forest Service. Intermountain Research Station, Forest Service General Technical Report INT302, Ogden, Utah. 39 p.
- Robison, G.E. and R.L. Beschta. 1990a. Identifying trees in riparian areas that can provide coarse woody debris to streams. For. Sci. 36(3):790-801.

-
- Robison, G.E. and R.L. Beschta. 1990b. Coarse woody debris in undisturbed coastal streams of southeast Alaska, U.S.A. *Earth Surface Processes and Landforms*. 15:149-156.
- Robison, G.E., J. Runyon, and C. Andrus. 1999a. Oregon Department of Forestry cooperative stream temperature monitoring: project completion report for 1994-1995. Forest Practices Technical Report 2, Oregon Department of Forestry, Forest Practices, Salem, OR. 47 p.
- Robison, E.G., K.A. Mills, J. Paul, L. Dent, and A. Skaugset. 1999b. Oregon Department of Forestry storm impacts and landslides of 1996: final report. Oregon Department of Forestry, Forest Practices Monitoring Program, Forest Practices Technical Report Number 4, Salem, OR. 145 p.
- Rodgers, C. 1995. Forestry Policy Changes in the Department of Natural Resources. Paper submitted for Population, Energy and Resources (Master of Environmental Studies Program). Olympia, WA: The Evergreen State College.
- Rogers, L. 2003. Small Forest Landowner Database: the assessment of non-industrial private forestlands by water resource inventory area. University of Washington, College of Forest Resources, Rural Technology Initiative, Seattle, WA.
- Rothacher, J. 1973. Does harvest in west slope Douglas-fir increase peak flow in small forest streams? USDA Forest Service Res. Pap. PNW-163. 13 p.
- Russell, K.R., A.A. Gonyaw, J.D. Strom, K.E. Diemer and K.C. Murk. 2002. Three new nests of the Columbia torrent salamander, *Rhyacotriton kezeri*, in Oregon with observations of nesting behavior. *Northwestern Naturalist* 83:19–22.
- Russell, K.R., T.J. Mabee and M.B. Cole. 2004. Distribution and habitat of Columbia torrent salamanders at multiple scales in managed forests of northwestern Oregon. *Journal of Wildlife Management*.
- Salmon Information Center. n.d. Tri-County Salmon Recovery. Retrieved March 9, 2004, from the Salmon Information Center. Web site: <http://www.salmoninfo.org/>.
- Salo, E.O. and T.W. Cundy, editors. 1987. *Streamside Management: Forestry and Fishery Interactions*. Institute of Forest Resources Contribution No. 57, University of Washington, Seattle, WA. 471 pp.
- Salo, E.O. 1991. Life history of chum salmon, *Oncorhynchus keta*, p. 231-309 in Groot, C., and L. Margolis (eds), *Pacific Salmon Life Histories*. University of British Columbia Press, Vancouver, B.C., Canada.
- Scott, W.B. and E.J. Crossman. 1973. *Freshwater fishes of Canada*. Fisheries Research Board of Canada. Bulletin 184. Ottawa.

-
- Scrivener, J.C. and B.C. Andersen. 1982. Logging impacts and some mechanisms which determine the size of spring and summer populations of coho salmon fry *in* Carnation Creek. Pages 257-272 in G.F. Hartman, editor. Proceedings of the Carnation Creek Workshop: A Ten Year Review. Pacific Biological Station, Nanaimo, British Columbia.
- Setter, A and E. Brannon. 1992. A summary of stock identification research on white sturgeon of the Columbia River (1985-1990). University of Idaho Aquaculture Institute, Final Report to Bonneville Power Administration, Contract No. 1989BP97298, Project No. 198904400. 105 electronic pages (BPA Report DOE/BP-97298-1).
- Sharma, R. and R. Hilborn. 2001. Empirical relationships between watershed characteristics and coho salmon (*Oncorhynchus kisutch*) smolt abundance in 14 western Washington streams. *Can. J. Fish. Aquat. Sci.* 58:1453-1463.
- Shaw, S.C. and L.M. Vaugeois. 1999. Comparison of GIS-based models of shallow landsliding for application to watershed management. Report No. TFW-PR10-99-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, WA.
- Shepard, J.P. 1994. Effects of forest management on surface quality in wetland forests. *Wetlands* 14, no. 1: pp. 18-26.
- Shreffler, D.K. and R.M. Thom. 1993. Restoration of urban estuaries; new approaches for site location and design. Prepared by Battelle Marine Sciences Laboratory for Washington Department of Natural Resources, Aquatic Lands Division, Olympia, Washington.
- Sidle, R.C. and A.J. Pearce. 1985. Hillslope stability and land use. *Wat. Res. Monogr.* 11: 1-140.
- Simenstad, C.A. 1983. The ecology of estuarine channels of the Pacific Northwest coast: A community profile. FWS/OBS-83/05. US Fish and Wildlife Service, Olympia, Washington.
- Simpson, J.C. and R.L. Wallace 1982. *Fishes of Idaho*. Department of Biological Sciences, University of Idaho, Moscow.
- Smith, Carol, PhD. 1999. Salmon and steelhead habitat limiting factors in the western Strait of Juan de Fuca, WRIA 19. Washington State Conservation Commission, Olympia, WA.
- Snake River Salmon Recovery Board. 2001. *Snake River Salmon Recovery Board Recovery Strategy*. Retrieved (n.d.), from Snake River Salmon Recovery Board, Web site: http://www.iac.wa.gov/documents/srfb/lead_entities/Snake/Recovery-Strategy.pdf.

-
- Sneva, John. Personal Communication, March 2004, Fish and Wildlife Biologist, Fish Aging Unit, Washington Department of Fish and Wildlife, Olympia, WA.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR. 356 pp.
- Stebbins, R.C. and C.H. Lowe Jr. 1951. Subspecific differentiation in the Olympic salamander, *Rhyacotriton olympicus*. University of California Publications in Zoology 50:465–484.
- Stebbins, R.C. 1985. Amphibians and reptiles of Western North America. 2nd edition. Houghton Mifflin Co., Boston.
- Steinblums, I.J., H.A. Froehlich, and J.K. Lyons. 1984. Designing stable buffer strips for stream protection. J. For. 82(1):49-52.
- Steele, C.A., E.D. Brodie, Jr., and J.G. MacCracken. 2003. Relationships between abundance of Cascade torrent salamander and forest age. Journal of Wildlife Management 67:447-453.
- Stinson, D.W. 2001. Washington state recovery plan for the lynx. Washington Department of Fish and Wildlife, Olympia, WA. 78 pp. + 5 maps. Retrieved January 29, 2004 from the Washington Department of Fish and Wildlife, Wildlife Science Web site: <http://wdfw.wa.gov/wlm/diversty/soc/recovery/lynx/lynx.htm>
- Stinson, D.W., J.W. Watson, and K.R. McAllister. 2001. Washington state status report for the bald eagle. Washington Department of Fish and Wildlife, Olympia, WA. 92 pp. Retrieved January 29, 2004 from the Washington Department of Fish and Wildlife, Wildlife Science Website: <http://wdfw.wa.gov/diversty/soc/status/baldeagle/finalbaldeaglestatus.pdf>
- Sullivan, K., T.E. Lisle, C.A. Dolloff, G.E. Grant and L.M. Reid. 1987. Stream channels: the link between forests and fishes. In: Streamside Management: Forestry and Fisheries Interactions, E.O. Salo and T.W. Cundy (eds.), College of Forest Resources, University of Washington, Seattle WA. Contribution No. 57.
- Sullivan, K., J. Tooley, K. Doughty, J.E. Caldwell and P. Knudsen. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. Timber/Fish/Wildlife Rep. No. TFW-WQ3-90-006. Washington Dept. Nat. Resources, Forest Practices Division, Olympia, WA. 224 p.
- Summers, R.P. 1983. Trends in riparian vegetation regrowth following timber harvesting in western Oregon watersheds. M.S. thesis, Oregon State University, College of Forestry, Corvallis, OR. 151 p.
- Swanson, F.J. and C.T. Dyrness. 1975. Impact of clearcutting and road construction on soil erosion by landslides in the western Cascade Range, Oregon. Geology 3(7): 393-396.

-
- Swanson, F.J., L.E. Benda, S.H. Duncan, G.E. Grant, W.F. Megahan, L.M. Reid and R.R. Ziemer. 1987. Mass failures and other processes of sediment production in pacific northwest forest landscapes. In: *Streamside Management: Forestry and Fisheries Interactions*, E.O. Salo and T.W. Cundy (eds.), College of Forest Resources, University of Washington, Seattle WA. Contribution No. 57.
- Swanston, D.N. 1991. Natural Processes. In: Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. *American Fisheries Society Special Publication* 19. 751 pp.
- Tacoma Water, City of Tacoma. 2002. Tacoma Water Habitat Conservation Plan. Retrieved March 8, 2004, from Tacoma Water, Tacoma Public Utilities Web site: <http://www.ci.tacoma.wa.us/water/WaterSystem/habitat.htm>.
- Thomas, J.W., M.G. Raphael, R.G. Anthony, et al. 1993. Viability assessments and management considerations for species associated with late-successional and old-growth forests of the Pacific Northwest. The Report of the Scientific Analysis Team, U.S. Department of Agriculture. 530 pp.
- Trettin, C.C., M.F. Jurgensesn, D.F. Grigal, M.R. Gale, and J.K. Jeglum, eds., 1997. *Northern Forested Wetlands: Ecology and Management*. Lewis Publishers. New York.
- Troffe, P.M. 1999. Freshwater Fishes of the Columbia Basin in British Columbia. Royal British Columbia Museum Living Landscapes project. Accessed 21 May 2003. Available at http://livinglandscapes.bc.ca/cbasin/peter_myles/pdf/fish1e.pdf
- U.S. Environmental Protection Agency. 2003. History of the Clean Water Act. Retrieved n.d. from U.S. Environmental Protection Agency Web site: <http://www.epa.gov/region5/water/cwa.htm>.
- USDA Forest Service. n.d. *Columbia River Gorge National Scenic Area*. Retrieved April 2, 2004, from U.S. Forest Service Web site: <http://www.fs.fed.us/r6/columbia/forest/>.
- USDA Forest Service. 1980. *An Approach to Water Resource Evaluation of Nonpoint Silviculture Sources: A Procedural Handbook*. EPA-600/8-80-012. Washington, D.C.
- USDA Forest Service, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, National Park Service, U.S. Bureau of Land Management, and US Environmental Protection Agency. 1993. Forest ecosystem management: an ecological, economic, and social assessment. Rep. Of the For. Ecosys. Mgmt. Team. US Gov. Printing Office, Washington, D.C.
- U.S. Department of the Interior. 1992a. Endangered and threatened wildlife and plants; Determination of critical habitat for the northern spotted owl. U.S. Department of the Interior Fish and Wildlife Service. Washington, DC.

-
- U.S. Department of the Interior. 1992b. Final draft recovery plan for the northern spotted owl. U.S. Department of the Interior Fish and Wildlife Service. Portland, Oregon. 2 vol.
- U.S. Fish and Wildlife Service. 1998. Bull Trout Interim Conservation Guidance. December 9, 1998.
- U.S. Fish and Wildlife Service (USFWS) and National Marine Fisheries Service (NMFS). 2004. Draft environmental impact statement for the forest practices habitat conservation plan. Washington Department of Natural Resources, Federal Assurances Project, Olympia, WA.
- U.S. Fish and Wildlife Service (USFWS). 1992. Final draft recovery plan for the northern spotted owl.
- U.S. Fish and Wildlife Service (USFWS). 1993. Grizzly Bear Recovery Plan. Missoula, MT.
- U.S. Fish and Wildlife Service (USFWS). 1994. Recovery plan – Selkirk Mountain woodland caribou (*Rangifer tarandus caribou*). Portland, OR: Region 1.
- U.S. Fish and Wildlife Service (USFWS). 1995. Sacramento-San Joaquin Delta Native Fishes Recovery Plan. USFWS, Portland, OR.
- U.S. Fish and Wildlife Service (USFWS) and National Marine Fisheries Service (NMFS). 1996. Endangered Species Habitat Conservation Planning Handbook.
- U.S. Fish and Wildlife Service (USFWS). 1997. Recovery Plan for the Threatened Marbled Murrelet in Washington, Oregon and California. Portland, OR: Region 1.
- U.S. Fish and Wildlife Service (USFWS). 2001. Oregon silverspot butterfly (*Speyeria zerene hippolyta*) revised recovery plan. Portland, OR.
- U.S. Fish and Wildlife Service (USFWS). 2002a. Candidate and listing priority assignment form for *Rana luteiventris* (Columbia spotted frog). Retrieved January 29, 2004 from USFWS, Region 1
Web site: http://ecos.fws.gov/docs/candforms_pdf/r1/ranlut.
- U.S. Fish and Wildlife Service (USFWS). 2002b. Candidate and listing priority assignment form for *Thomomys mazama* (Mazama pocket gopher). Retrieved January 29, 2004, from USFWS, Region 1
Web site: https://ecos.fws.gov/docs/candforms_pdf/r1/thomaz.pdf
- U.S. Fish and Wildlife Service (USFWS). 2002c. Candidate and listing priority assignment form for *Polites mardon* (Mardon skipper). Retrieved January 29, 2004, from USFWS, Region 1
Web site: https://ecos.fws.gov/docs/candforms_pdf/r1/polmar.pdf

-
- U.S. Fish and Wildlife Service (USFWS). 2003. *Habitat Conservation Plans*. Retrieved September 29, 2003, from Environmental Conservation Online System (ECOS) Web site: http://ecos.fws.gov/conserv_plans/public.jsp.
- U.S. Geological Survey (USGS), Patuxent Wildlife Research Center. 2003. Amphibian Research and Monitoring Initiative (ARMI) national atlas for amphibian distributions. Revised February 2003, accessed 15 May 2003. Available online at <http://www.mp2-pwrc.usgs.gov/armiatlas/>
- Van Sickle, J. and S.V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. *Can. J. For. Res.* 20:1593-1601.
- Vesely, D.G. and W.C. McComb. 2002. Salamander abundance and amphibian species richness in riparian buffer strips in the Oregon Coast Range. *Forest Science*. Vol. 48(2):291-297.
- Wallace, R. L. and J. C. Simpson. 1978. *Fishes of Idaho*. The University Press of Idaho, Moscow, Idaho. 237 pp.
- Ward, J.V. and J.A. Stanford. 1989. Riverine Ecosystems: the influence of man on catch dynamics and fish ecology. Pg. 56-64 in D.P. Dodge, ed. *Proceedings of the International Large River Symposium (LARS)*. *Can. J. Fish. Aquat. Sci. Spec. Publ.* 106. 629 pp.
- Washington Department of Agriculture. 2002. *Washington Pesticide Laws and Other Related Regulations (Publication #079)*. Olympia, WA: Department of Agriculture.
- Washington Department of Ecology (Ecology). 1999. *Introduction to Washington's Shoreline Management Act (RCW 90.58)*. Olympia, WA: Department of Ecology.
- Washington Department of Ecology (Ecology). 2000. *Washington's Nonpoint Source Management Plan*. Olympia, WA: Department of Ecology.
- Washington Department of Ecology (Ecology). 2002. *Focus: Washington State Environmental Policy Act (Publication #02-06-013)*. Olympia, WA: Department of Ecology.
- Washington Department of Ecology (Ecology). 2003. *Water Quality Standards for Surface Waters of the State of Washington (WAC No. 173-201A)*. Olympia, WA: Department of Ecology.
- Washington Department of Ecology (Ecology). Puget Sound Shorelines website. <http://www.ecy.wa.gov/programs/sea/pugetsound/species/>.
- Washington Department of Fisheries. 1991. *Management Recommendations for Mountain Sucker*. Olympia, Washington.

-
- Washington Department of Fish and Wildlife (WDFW). 2003. General Species and Habitat List by WRIA. Taken from WDFW GIS databases. November 2003.
- Washington Department of Fish and Wildlife (WDFW). n.d. Forage Fish website, Surf Smelt Biology. <http://www.wdfw.wa.gov/fish/forage/>.
- Washington Department of Fish and Wildlife (WDFW) and Point No Point Treaty Tribes. 2000. Summer Chum Salmon Conservation Initiative. Washington Department of Fish and Wildlife, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW). 1993. Status of the marbled murrelet (*Brachyramphus marmoratus*) in Washington. Olympia, WA: Unpubl. Rep. Wash. Dept. Wildl.
- Washington Department of Fish and Wildlife (WDFW). 1999. Wolves in Washington. WDFW fact sheet. Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW). n.d.. *The Salmon and Steelhead Habitat Inventory and Assessment Program* (fact sheet). Retrieved March 1, 2004, from WDFW Web site: <http://www.wdfw.wa.gov/hab/sshiap/>
- Washington Department of Natural Resources (DNR). n.d. DRAFT Lake Keechelus Lake/Mosquito Creek Watershed Analysis.
- Washington Department of Natural Resources (DNR). 1968. Sixth Biennial Report 1966-1968. Olympia, WA: DNR.
- Washington Department of Natural Resources (DNR). 1975. *The Forest That Came Back*. Olympia, WA: DNR.
- Washington Department of Natural Resources (DNR). 1993. *The Rate of Timber Harvest in Washington State: 1988-1991*. Olympia, WA: DNR.
- Washington Department of Natural Resources (DNR). 1997. Standard methodology for conducting watershed analysis under chapter 222-22 WAC – version 4.0. Washington Department of Natural Resources – Forest Practices Division. Olympia, WA.
- Washington Department of Natural Resources (DNR). 1997. *Final Habitat Conservation Plan* [for State Trust Lands]. Olympia, WA: DNR.
- Washington Department of Natural Resources (DNR). 1997. Thompson Creek Watershed Analysis.
- Washington Department of Natural Resources (DNR). 1998. Lake Whatcom Watershed Analysis.

-
- Washington Department of Natural Resources (DNR). 2000. Field guide to selected rare vascular plants of Washington. Olympia, WA: DNR. Retrieved February 3, 2004, from DNR, Natural Heritage Program
Web site: <http://www.dnr.wa.gov/nhp/refdesk/fguide/htm/fgmain.htm>
- Washington Department of Natural Resources (DNR). 2004a. Washington Herb Atlas. Retrieved February 3, 2004, from DNR, Natural Heritage Program
Web site: <http://www.dnr.wa.gov/nhp/refdesk/herp/index.htm>
- Washington Department of Natural Resources (DNR). 2004b. *About Washington Natural Heritage Program*. Retrieved May 28, 2004 from DNR, Natural Heritage Program
Web site: <http://www.dnr.wa.gov/nhp/>
- Washington Department of Natural Resources, Forest Practices Division. 2004. Unpublished data obtained from the Forest Practices Application Review System database related to 2003 forest practices applications for harvesting on exempt 20-acre parcels. Data housed in the DNR Federal Assurances Project office, Olympia, WA.
- Washington Forest Practices Board (FPB). 1982. Washington Forest Practices Rules and Regulations. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board, Riparian Habitat Technical Committee. 1985. Forest Riparian Habitat Study: Phase 1 Report. Washington Department of Ecology.
- Washington Forest Practices Board (FPB). 1987. *The Timber/Fish/Wildlife Agreement: Introduction*. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board (FPB). 1988. Washington Forest Practices Rules and Regulations. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board and Washington Department of Ecology. 1992. Washington Forest Practices Rules and Regulations, Title 222 WAC. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board (FPB). 1996. Final Environmental Impact Statement on Forest Practices Rule Proposals for: Northern Spotted Owl, Marbled Murrelet, and Western Gray Squirrel. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board (FPB). 1997. Standard Methodology for Conducting Watershed Analysis Manual. Olympia, WA: DNR.
- Washington Forest Practices Board (FPB). 2001. Washington Forest Practices Rules. Washington Department of Natural Resources. Olympia, WA.
- Washington Forest Practices Board (FPB). 2003. TFW Cultural Resources Committee. Final Cultural Resources Protection and Management Plan. Olympia, WA: DNR.

-
- Washington Forest Protection Association (WFPA). Personal Communication. October 2005. Olympia, WA.
- Washington State Governor's Salmon Recovery Office. 2002. *2002 State of Salmon, Part One*. Olympia, WA: Governor's Salmon Recovery Office.
- Washington State Joint Natural Resources Cabinet. 1999. *Statewide Strategy to Recover Salmon*. Retrieved (n.d.) from Governor's Salmon Recovery Office
Web site: <http://www.governor.wa.gov/gsro/strategy/summary.htm>.
- Washington State Joint Natural Resources Cabinet. 2002. *Reference Guide to Salmon Recovery*. Olympia, WA: Governor's Salmon Recovery Office.
- Welsh Jr., H.H. 1990. Relictual amphibians and old-growth forests. *Conservation Biology*. Vol. 4, pp. 309-319.
- Welsh Jr., H.H. and L.M. Ollivier. 1998. Stream amphibians as indicators of ecosystem stress: a case study from California's redwoods. *Ecological Applications*. Vol. 8(4), pp. 1118-1132.
- Welsh Jr., H.H. and A. J. Lind. 2002. Multiscale habitat relationships of stream amphibians in the Klamath-Siskiyou region of California and Oregon. *Journal of Wildlife Management*. Vol. 66(3):581-602.
- Welsh Jr., H.H., A.J. Lind, L.M. Ollivier and D.L. Waters. 1993. A hierarchical analysis of the habitat associations of the tailed frog (*Ascaphus truei*) in the mixed coniferous/hardwood forests of northwestern California. Prepared for California Department of Forestry and Fire Protection, Sacramento, California.
- Wemple, B.C., J.A. Jones and G.E. Grant. 1996. Channel network extension by logging roads in two basins, western Cascades, Oregon. *Wat. Res. Bull.*, 32(6): 1195-1207.
- West, S.D. and M.A. O'Connell. 1998. Management Implications. Pages 31-34 in: Effectiveness of riparian management zones in providing habitat for wildlife. TFW Workshop, October 14-15, 1998. TFW-WL3-98-001.
- Whitford, W.G. and V.H. Hutchinson. 1966. Cutaneous and pulmonary gas exchange in ambystomatid salamanders. *Copeia* 1966(3):573-577.
- Wilkins, R.N. and N.P. Peterson. 2000. Factors related to amphibian occurrence and abundance in headwater streams draining second-growth Douglas-fir forests in southwestern Washington. *Forest Ecology and Management*. Vol. 139:79-91.
- Williams, G.D. and R.M. Thom. 2001. White Paper: Marine and Estuarine Shoreline Modification Issues. Prepared by Battelle Marine Sciences Laboratory (Sequim, WA) for Washington Department of Fish and Wildlife, Washington Department of Ecology, and Washington Department of Transportation.
- Wilson, A.G., Jr., J.H. Larsen, Jr., and K.R. McAllister. 1995. Distribution of Van Dyke's

-
- salamander (*Plethodon vandykei* Van Denburgh). American Midland Naturalist. Vol. 134:388-393.
- Wright, K.A., K.H. Sendek, R.M. Rice, and R.B. Thomas. 1990. Logging effects on streamflow: storm runoff at Caspar Creek in northwestern California. *Wat. Resour. Res.* 26(7): 1657-1667.
- Washington State Conservation Commission. Salmon Habitat Limiting Factors Analysis. 1998. Salmon habitat condition rating standards *in* Salmon Habitat Limiting Factors Analysis. Olympia, Washington.
- Wydoski, R.S. and R.R. Whitney. 2003. Inland fishes of Washington. University of Washington Press, Seattle, Washington. Second Edition.
- Yakima Sub-Basin Fish and Wildlife Planning Board. n.d. *What is Salmon Recovery Planning?* Retrieved March 15, 2004, from Yakima Sub-Basin Fish and Wildlife Planning Board Web site: <http://www.co.yakima.wa.us/yaksubbasin/>.
- Zelo, I. and H. Shipman. 2000. Alternative bank protection methods for Puget Sound shorelines. Shorelands and Environmental Assistance Program, Washington Department of Ecology, Olympia, Washington. 130 pp. as cited in Williams and Thom 2001.
- Ziemer, R.R. 1981. Storm flow response to road building and partial cutting in small streams of northern California. *Wat. Resour. Res.* 17(4): 907-917.

