# Geologic Mapping with Lidar: Examples of Deep-seated Landslides and Faults from the Summit Lake Quadrangle (and Others)

Timothy J. Walsh


Washington Department of Natural Resources

Division of Geology and Earth Resources




New mapping technology is becoming increasingly available, particularly in the urban areas of western Washington, that enable accurate digital mapping of fault scarps, landslides, and other geologic features for which a synoptic view is necessary for accurate identification. LiDAR (Light Detection and Ranging) allows for accurate imaging of topography by digitally removing the forest cover (virtual deforestation) demonstrated in the next slide.

Division of Geology and Earth Resources




In order to assess faults, we need to use new technologies to locate faults and dig trenches to expose them for study







# PUGET I D U N D



## Geologic Map of the Nisqually 7.5-minute Quadrangle, Thurston and Pierce Counties, Washington

by Transfer E. Walds, Hohen L., Lague, Michael Polines, and Honry W. Nahame.

## ADDRESS OF THE REST.

Top Service and the translation of the product of the control of t

The control of the co

State Committee	-	20	-	- AND LAND	Terrendo de California de Cali
Section	. wiele		-	2600	Company of the latest to the l
2075	-		-	and Property	Name and Address
desired were	***	-	400	TAXABLE PARTY.	****
Service out	-	*	-	-	
poppou		-	-	ALC: NO.	-
September 1	*****	-		p. 000	-
prince.	****	-	-	14/700	440
District out	****	-	==	-	-





















This LiDAR Image shows a large landslide that was not recognized in previous geologic mapping






Geologic Mapping – Landscape Evolution



# Geologic Mapping – Quaternary Faults




LiDAR hillshade image for Port Angeles area


'Area in next slide

# Geologic Mapping – Quaternary Faults

**Holocene Fault Scarp – Lake Creek Fault** 








## Geologic Map of the East Olympia 7.5-minute Quadrangle, Thurston County, Washington

by Timothy J. Walds and Robert L. Logan

ROPERIO AND RESERVE


Management of the Control of the Con







One of these terraces is littered with andesitic boulders, such as these at "Stonehenge", along State Route (SR) 7 about 1.5 mi south of SR 702, were deposited by the great Tanwax Creek-Ohop Valley late-glacial flood (From Pringle, Goldstein, and Anderson)



This shaded relief map from digital elevation model (DEM) shows the approximate path of the Tanwax Creek-Ohop Valley late-glacial flood. Water draining from glacial lake Carbon, which was impounded against the receding Puget Lobe of the Vashon Glacier, triggered a large landslide (yellow) that temporarily blocked the flow. This impounded water quickly breached the landslide dam and carried andesite boulders from the landslide along in the flood. Small pink dots show the location of some of the andesite and granodiorite boulders (From Pringle,

WASHINGTON STATE DEPARTMENT OF MACHINET OF M

Division of Geology and Earth Resources












Division of Geology and Earth Resources -Ron Telssere - State Geologist





Note that Mima Mounds on this map are confined to the terrace underlain by deposits of the Tanwax Flood—stay tuned


## Geologic Map of the Summit Lake 7.5-minute Quadrangle, Thurston and Mason Counties, Washington


by Robert E. Legan and Timothy J. Walek






















LiDAR vertical hillshade image of Black Hills west of Olympia showing deep-seated landslides