STATE FOREST LAND SEPA ENVIRONMENTAL CHECKLIST

Purpose of checklist:

Governmental agencies use this checklist to help determine whether the environmental impacts of your proposal are significant. This information is also helpful to determine if available avoidance, minimization or compensatory mitigation measures will address the probable significant impacts or if an environmental impact statement will be prepared to further analyze the proposal.

Instructions for applicants:

This environmental checklist asks you to describe some basic information about your proposal. Please answer each question accurately and carefully, to the best of your knowledge. You may need to consult with an agency specialist or private consultant for some questions. You may use "not applicable" or "does not apply" only when you can explain why it does not apply and not when the answer is unknown. You may also attach or incorporate by reference additional studies reports. Complete and accurate answers to these questions often avoid delays with the SEPA process as well as later in the decision-making process.

Questions in italics are supplemental to Ecology's standard environmental checklist. They have been added by the DNR to assist in the review of state forest land proposals. Adjacency and landscape/watershed-administrative-unit (WAU) maps for this proposal are available on the DNR internet website at http://www.dnr.wa.gov/sepa. These maps may also be reviewed at the DNR regional office responsible for the proposal. This checklist is to be used for SEPA evaluation of state forest land activities.

The checklist questions apply to <u>all parts of your proposal</u>, even if you plan to do them over a period of time or on different parcels of land. Attach any additional information that will help describe your proposal or its environmental effects. The agency to which you submit this checklist may ask you to explain your answers or provide additional information reasonably related to determining if there may be significant adverse impact.

Instructions for Lead Agencies:

Additional information may be necessary to evaluate the existing environment, all interrelated aspects of the proposal and an analysis of adverse impacts. The checklist is considered the first but not necessarily the only source of information needed to make an adequate threshold determination. Once a threshold determination is made, the lead agency is responsible for the completeness and accuracy of the checklist and other supporting documents.

Use of checklist for nonproject proposals:

For nonproject proposals (such as ordinances, regulations, plans and programs), complete the applicable parts of sections A and B plus the <u>SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS (part D)</u>. Please completely answer all questions that apply and note that the words "project," "applicant," and "property or site" should be read as "proposal," "proponent," and "affected geographic area," respectively. The lead agency may exclude (for non-projects) questions in Part B - Environmental Elements –that do not contribute meaningfully to the analysis of the proposal.

A. BACKGROUND

1. Name of proposed project, if applicable:

Timber Sale Name: LAST CROCKER SORTS RESALE

Agreement #30-107867

- 2. Name of applicant: Washington Department of Natural Resources
- 3. Address and phone number of applicant and contact person:

Mark Benner

Department of Natural Resources

411 Tillicum Lane

Forks, WA 98331 (360) 374-2800

- 4. Date checklist prepared: 08/05/2024
- 5. Agency requesting checklist: Washington Department of Natural Resources
- 6. Proposed timing or schedule (including phasing, if applicable):
 - a. Auction Date: 12/18/2024
 - b. Planned contract end date (but may be extended): 03/31/2026
 - c. Phasing: None
- 7. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

 \square *No, go to question 8.*

 \boxtimes Yes, identify any plans under A-7-a through A-7-d:

a. Site Preparation:

For units 1 - 4: Assessment for treatment will occur after completion of harvest. Site preparation including a chemical herbicide application, may be used to ensure that planting is successful at acceptable levels to meet or exceed Forest Practice standards.

b. Regeneration Method:

Units 1 - 4 will be hand planted with native species seedlings following harvest.

c. Vegetation Management:

A continued assessment of units to determine future vegetation management strategy will be required. Treatments will be based on vegetative competition and will ensure a free-to-grow status that complies with Forest Practice standards.

d. Other:

Road maintenance assessments will be conducted and may include periodic ditch and culvert cleanout, and grading as necessary.

8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal. *Note: All documents are available upon request at the DNR Region Office*.

⊠ 303 (d) – listed water body in WAU: Howe Creek, Ripley Creek, Little Quilcene River,

\bowtie temp
\square sediment
\square completed TMDL (total maximum daily load)
\Box Landscape plan:
☐ Watershed analysis:
☐ Interdisciplinary team (ID Team) report:
⊠ Road design plan: Included in Road Plan, dated 8/29/2024
☐ Wildlife report:
☐ Geotechnical report:
\Box Other specialist report(s):
\square Memorandum of understanding (sportsmen's groups, neighborhood associations, tribes, etc.):
\square Rock pit plan:
⊠ <i>Other</i> :

The following analyses, policies, procedures, documents, and data layers directly pertain to or were reviewed as part of this proposal and are incorporated by reference:

- DNR Policies and Implementation
 - o Policy for Sustainable Forests (PSF; 2006a)
 - Final Environmental Impact Statement on the Policy for Sustainable Forests (2006b)
 - Alternatives for the Establishment of a Sustainable Harvest Level for Forested State Trust Lands in Western Washington Final Environmental Impact Statement (2019)
 - Landscape Assessment to Identify and Manage Structurally Complex Stands to Meet Older-Forest Targets in Western Washington, May 2024 (Revised September 2024).
 - Identifying Mature and Old Forests in Western Washington by Robert Van Pelt (2007).
 - Silvicultural Rotational Prescriptions
 - Land Resource Manager Reports and associated maps
- DNR Trust Lands Habitat Conservation Plan and Supplemental Information
 - o Final Habitat Conservation Plan (HCP; 1997)
 - Final (Merged) Environmental Impact Statement for the Habitat Conservation Plan (1998)
 - Long-Term Conservation Strategy for the Marbled Murrelet Final Environmental Impact Statement (2019)
 - Final State Trust Lands Habitat Conservation Plan Amendment: Marbled Murrelet Long-term Conservation Strategy
 - o Riparian Forest Restoration Strategy (RFRS; 2006)
 - Spotted Owl Habitat GIS Layer
 - o Marbled Murrelet Habitat GIS Layer
 - o WAU Rain-On-Snow GIS Layer and Reports

- o Biological Opinion on the HCP, USFWS; January 27, 1997
- o Biological Opinion on the HCP, NMFS; January 29, 1997
- Biological Opinion on the HCP Marbled Murrelet Long-term Conservation Strategy Amendment, USFWS; November 7, 2019
- Reinitiated Biological Opinion on the Incidental Take Permit (PRT-812521), USFWS; March 21, 2024
- Forest Practices Regulations and Compliance
 - Forest Practices Board Manual
 - Forest Practices Activity Maps
 - o Trust Lands HCP Addendum and Checklist
- **o** Supporting Data for Unstable Slopes Review
 - o State Lands Geologist Remote Review (SLGRR)
 - Lidar Data and Derivatives
 - o Draft Landform Remote Identification Model (LRIM) screening tool
 - Published Landslide Inventories
 - o Historic Aerial Photographs
 - Published Geologic Mapping
- Supporting Data for Cultural Resources Review
 - Historical Aerial Photographs
 - o USGS and GLO maps
 - Department of Archaeology and Historic Preservation database for architectural and archaeological resources and reports (WISAARD)
- Additional Supporting Data for Policy Compliance
 - Weighted Old Growth Habitat Index (WOGHI)
 - State Soil Survey
 - Stand Development Stage Assessment form for Last Crocker Sorts
 - Additional Supporting Data for Carbon Analysis of Management Alternatives (used to populate the "Analysis of Carbon Flux by Harvest Alternative" portion of Appendix B to this checklist)

Referenced documents may be obtained at the region office responsible for this proposal.

9. Do you know whether affecting the property con None known.	11 1	ng for governmental approvals of other proposals directly? If yes, explain.
10. List any governmen	t approvals or permits the	hat will be needed for your proposal, if known.
$\boxtimes FPA$	\Box FPHP	⊠ Board of Natural Resources Approval
☐ Burning permit	☐ Shoreline permit	☐ Existing HPA
\Box Other:	_	

11. Give brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.)

a. Complete proposal description:

The Last Crocker Sorts Resale timber sale includes four variable retention harvest (VRH) units totaling 142 net harvest acres and two right-of-way (ROW) units totaling 1 acre. The cruised volume is 5,447 MBF. The sale area will be harvested using only ground-based logging equipment. The initial proposal area evaluated for harvest encompassed 180 acres. The acres excluded from harvest include 7 acres for Riparian Management Zones (RMZs), 7 acres of unmanaged Wetland Management Zone (WMZ), and 21 acres of leave tree areas. Normal leave tree targets of 8 trees per acre have been exceeded to achieve additional objectives of this sale described throughout this checklist. The proposal also includes maintenance, reconstruction and construction of forest roads. Road maintenance work will include roadside brushing, rocking, grading, ditch maintenance, and replacement of cross drains, as needed. Rock will come from a commercial source.

Unit	Gross Proposal (Acres)	Riparian Management Zones/Unstable Slope Protection (Acres)	Wetland Management Zones (Acres)	Existing Roads (Acres)	Leave Tree Area (Acres)	Net Harvest (Acres)
1	56	0	0	3	5	48
2	43	0	0	0	6	37
3	12	2	1	0	1	8
4	68	5	6	0	9	48
5 R/W	0.2	0	0	0	0	0.2
6 R/W	0.8	0	0	0	0	0.8
Totals	180	7	7	3	21	142

b. Describe the stand of timber pre-harvest (include major timber species and origin date), type of harvest and overall unit objectives.

Pre-harvest Stand Description:

In the Last Crocker Sorts Resale Timber Sale 142 net acres are being harvested, while 35 acres (19% of the proposal area) are being conserved from the overall proposal area that was evaluated for harvest. These conservation areas may include potentially unstable slopes, riparian and wetland management zones and other conservation areas. Many of these conservation areas are regeneration harvest deferred and will contribute to olderforests over time. The stage of stand development for the harvest areas within this proposal on the stand level scoring using the Van Pelt guide (Van Pelt 2007) includes areas of Maturation I and Maturation II.

Unit	Origin Date	Major Timber Species	MBF/acre	Slope (%)	Elevation Range (ft)
1	Post 1940	Douglas-fir (DF), red alder (RA) & western red cedar (RC)	45	8	280-680
2	Post 1940	DF, RA, & RC	35	10	280-680
3	Post 1960	DF & RC	35	7	280-680
4	Post 1960	DF & RA	30	16	280-680
5 RW	Post 1980	DF	10	1	280-680
6 RW	Post 1940	DF	20	6	280-680

Type of Harvest:

Unit	Harvest Type (VDT/VRH/etc)	Volume to be Harvested (mbf)	Volume to be Harvested (%)	Individual Leave Trees	Clumped Leave Trees	Total Leave Trees
1	VRH	2,117	95	65	410	475
2	VRH	1,526	95	28	468	496
3	VRH	299	95	22	56	78
4	VRH	1,491	90	28	745	773
5 RW	ROW	11	100	0	0	0
6 RW	ROW	3	100	0	0	0

Overall Unit Objectives:

The overall objectives for this sale includes the production of saw logs and pulp material to generate revenue for trusts while expediting the development of a more diverse multistoried canopy layer in the future stand. This will be accomplished through the leave tree retention strategy and riparian management zones. These stands will be managed to protect site productivity and maintain the integrity and water quality of adjacent streams.

Ecological- Promote diverse forest structure across the landscape while preserving ecological integrity and function.

Economic-Generate revenue for the State trust beneficiaries.

Statute- Comply with the DNR's HCP, the Policy for Sustainable Forests, and Forest Practice Rules and Regulations.

Social- Accommodate dispersed informal recreational activities on DNR managed lands and identify and protect historical and archaeological sites consistent with state/federal law. Reduce aesthetic impact of harvest from Highway 101.

c. Describe planned road activity. Include information on any rock pits that will be used in this proposal. See associated forest practice application (FPA) for maps and more details.

Type of Activity	How	Length (feet)	Acres	Fish Barrier
	Many	(Estimated)	(Estimated)	Removals (#)
Construction		3,615	1.4	0
Reconstruction		425		0
Maintenance		17,095		0
Abandonment		0	0	0
Bridge Install/Replace	0			0
Stream Culvert Install/Replace	0			0
(fish)				
Stream Culvert Install/Replace (no	1			
fish)				
Cross-Drain Install/Replace	14			

^{*} Construction acreage based on 17-foot subgrade.

- 12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist (See "WAU Map(s)" and "Timber Harvest Unit Adjacency Map(s)" as referenced on the DNR website: http://www.dnr.wa.gov/sepa. Click on the DNR region of this proposal under the Topic "Current SEPA Project Actions Timber Sales." Proposal documents also available for review at the DNR Region Office.)
 - a. Legal description: T28-0N R2-0W S13
 - b. Distance and direction from nearest town:

The sale is located approximately 14 miles by road north of Quilcene.

13. Cumulative Effects

a. Briefly describe any known environmental concerns that exist regarding elements of the environment in the associated WAU(s). (See WAC 197-11-444 for what is considered an element of the environment).

This proposal is located within the Discovery Bay and Little Quil WAUs. Ownership across the WAUs includes large industrial forests, private landowners, federal lands, and Department of Natural Resources managed forests. Forested stands within the WAU appear to be primarily second and third growth stands with some old growth stands. The number of forest practice activities shown on the WAU maps, along with observations within the WAU indicate that it is still intensively managed for timber production. Land uses within the WAU are trending toward conversion from forest and agriculture use to residential use. This trend is expected to continue on private lands. Lands that remain under DNR stewardship will continue to be managed as forestland.

Howe Creek, Ripley Creek, the Little Quilcene River, Leland Creek and Donovan Creek are listed as 303(d) waterbodies for temperature downstream of the proposal area.

DNR analyzed carbon sequestration and carbon emissions from projected land management activities within its final environmental impact (FEIS) statement for the 2015-2024 Sustainable Harvest Calculation and the FEIS for the 2019 HCP Long-Term Conservation Strategy for the Marbled Murrelet. At the western Washington scale, land management activities on DNR-managed lands sequester more carbon than emitted. Individual activities, such as this proposal, are likely to emit some greenhouse gases, including CO2; however, at the landscape scale, DNR's sustainable land management activities, including this proposal, sequester more carbon than they emit. Evaluating carbon sequestration at the western Washington scale is appropriate because a determination of net carbon emissions must consider both the carbon sequestered and the carbon emissions from management within the same analysis area (western Washington). However, DNR has conducted a project-specific carbon analysis as well, which is included as an appendix to this checklist (Appendix B: Climate Change Supplement to the SEPA Checklist).

Recognizing the climate and carbon benefits of working forests in Washington's Climate Commitment Act (RCW 70A.45.005), the legislature found that Washington should maintain and enhance the state's ability to continue to sequester carbon through natural and working lands and forest products. Further, "Washington's existing forest products sector, including public and private working forests and the harvesting, transportation, and manufacturing sectors that enable working forests to remain on the land and the state to be a global supplier of forest products, is, according to a University of Washington study analyzing the global warming mitigating role of wood products from Washington's private forests, an industrial sector that currently operates as a significant net sequesterer of carbon. This value, which is only provided through the maintenance of an intact and synergistic industrial sector, is an integral component of the state's contribution to the global climate response and efforts to mitigate carbon emissions." RCW 70A.45.090(1)(a).

The legislature also found that the 2019 Intergovernmental Panel on Climate Change (IPCC) report "identifies several measures where sustainable forest management and forest products may be utilized to maintain and enhance carbon sequestration. These include increasing the carbon sequestration potential of forests and forest products by maintaining and expanding the forestland base, reducing emissions from land conversion to non-forest uses, increasing forest resiliency to reduce the risk of carbon releases from disturbances such as wildfire, pest infestation, and disease, and applying sustainable forest management techniques to maintain or enhance forest carbon stocks and forest carbon sinks, including through the transference of carbon to wood products" (2020 Washington Laws Ch. 120 §1(2)).

DNR is legally required (RCW 79.10.320) to periodically calculate a sustainable harvest level and manages state trust lands sustainably. DNR has also maintained (statewide) a forest management certificate to the Sustainable Forestry Initiative standard since 2006. In managing state trust lands sustainably, DNR sequesters more carbon than it emits while conducting land management activities such as this proposal.

The timber harvested from DNR-managed lands is used to produce climate-smart forest products. The climate impacts of DNR's land management are analyzed in multiple environmental impact statements that have informed the Board of Natural Resources' decisions and are consistent with the IPCC, which states that "[m]eeting society's needs for timber through intensive management of a smaller forest area creates opportunities for enhanced forest protection and conservation in other areas, thus contributing to climate change mitigation." Project-specific potential climate impacts are further discussed in Appendix B of this SEPA checklist.

b. Briefly describe existing plans and programs (i.e. the HCP, DNR landscape plans, retention tree plans) and current forest practice rules that provide/require mitigation to protect against potential impacts to environmental concerns listed in question A-13-a.

This proposal and all future management activities on DNR lands will be conducted in accordance with the DNR's Habitat Conservation Plan (HCP, 1997), the Policy for Sustainable Forests (2006), and Forest Practice Rules. The HCP is an agreement with the federal government that requires the DNR to manage the landscapes with the intent to preserve and enhance habitat. In accordance with its terms, the following applicable strategies are found to provide a conservation benefit for multiple species:

- Establishing Riparian Management Zones (RMZs) along Type 3 and 4 streams.
- These RMZs also provide protection for stream temperature by retaining canopy cover which provides shade.
- Protecting small forested wetlands and Type 5 streams with leave trees.
- Establishing Wetland Management Zones (WMZs) around large wetlands.
- Protecting uncommon habitats under the multispecies conservation strategy.
- Implementing strategies designed to protect the marbled murrelet and northern spotted owl.
- Retaining a minimum of eight leave trees per acre dispersed and aggregated throughout the harvest units and identifying and protecting dominant, large-diameter, and structurally unique trees as part of the leave tree strategy.
- Designing, constructing, and maintaining a road system in a manner that will minimize potential adverse effects on the environment.

In concert, the HCP strategies for Northern Spotted Owl, Marbled Murrelet, and riparian conservation will contribute to the retention and development of older forests, while the leave tree procedure will enhance the structural diversity of forests across the landscape. The leave tree strategy objectives for this sale also include mitigation of aesthetic impacts from Highway 101, designing the sale for winter operating near seasonally saturated soils, protecting Type 5 streams during seasonal high flows, and limiting the potential for erosion and other soil impacts on steeper slopes. Normal leave tree targets have been exceeded to achieve all of these objectives, while still meeting distribution requirements. In addition, road construction and maintenance standards will improve the quality of the existing road network and reduce impacts on the environment.

The General Silviculture Strategy (policy) in the Policy for Sustainable Forests (PSF) emphasized that older-forest targets will be accomplished over time and that DNR intends to actively manage structurally complex forests to achieve older-forest structures (i.e. stands with older-forests identified by structural characteristics) across 10 to 15 percent of each western Washington HCP planning unit in 70 to 100 years from the adoption of the PSF.

In September 2024, the DNR revised a document titled 'Landscape Assessment to Identify and Manage Structurally Complex Stands to Meet Older-Forest Targets in Western Washington, May 2024' (landscape assessment). This document describes the background, historical analyses regarding attainment of older-forest conditions in western Washington, and updated data and modeling analyses showing when the various HCP planning units across western Washington are expected to attain a level of older-forest conditions through implementation of the HCP and other conservation objectives, and outlined as targets within the PSF.

This landscape assessment identifies the existing structurally complex stands, and additional suitable stands, to be managed for older-forest targets over time. The identified stands are located in conservation areas and deferred stands unavailable for regeneration harvest. These stands include areas identified as long-term forest cover under the marbled murrelet long-term conservation strategy, riparian areas, areas conserved under the multispecies conservation strategy, potentially unstable slopes, spotted owl nest patches, old growth, Natural Areas and Natural Resource Conservation Areas, and other conservation areas permanently deferred from regeneration harvest.

Some of these conservation areas are based on specific HCP strategies that are spatially fixed and conserved on the landscape, such as marbled murrelet occupied sites or spotted owl nest patches. However, other conservation areas are modeled and must be field verified based on HCP strategies, such as riparian areas or unstable slopes. There is naturally some adjustment to the location, absence, or presence of conservation areas upon field verification. This timber sale has been field verified for compliance with all conservation objectives and the planned harvest units are determined not to be regeneration harvest deferred and are available for harvest. These harvest areas also do not count towards the attainment of older-forests over time and have been excluded from the calculations and tables included in the landscape assessment. Conversely, when field verification identifies specific areas required for conservation, they will be protected from harvest and included in future conservation area modeling.

The landscape assessment demonstrates that while the Straits HCP Planning Unit does not currently contain 10 to 15 percent older-forest conditions, the structurally complex and other suitable stands designated to be managed for older-forest targets are projected to develop into older-forest structure that meets or exceeds this threshold by 2090 (Table A) through implementation of the HCP and other policies and laws. Stands identified to be managed toward older-forest targets, including currently older-forests and stands projected to develop older-forest structure in the future, are depicted in associated maps within the landscape assessment document for each western Washington HCP planning unit.

Table A. Percent area western Washington HCP planning units with older-forest stands in conservation areas by decade through 2120. With plot discounts and disturbance factor. Landscape Assessment to Identify and Manage Structurally Complex Stands to Meet Older-Forest Targets in Western Washington, May 2024 (Revised September 2024).

ADJUSTED QUE	ADJUSTED QUERY OUTPUT (WITH PLOT DISCOUNT & DISTURBANCE FACTOR)										
HCP Planning						Year					
Unit	2021	2030	2040	2050	2060	2070	2080	2090	2100	2110	2120
COLUMBIA	1.0%	1.2%	1.4%	1.7%	2.4%	3.9%	6.2%	9.4%	13.3%	16.5%	18.2%
N. PUGET	3.2%	3.9%	4.9%	6.2%	7.9%	10.2%	13.2%	16.7%	20.5%	23.9%	25.0%
OESF	10.2%	10.7%	11.0%	11.7%	12.6%	13.9%	15.9%	20.0%	24.9%	28.3%	29.5%
S. COAST	0.2%	0.3%	0.6%	1.2%	2.1%	3.6%	5.9%	8.8%	12.2%	15.9%	18.6%
S. PUGET	1.7%	2.2%	2.7%	3.6%	4.6%	6.1%	8.4%	11.3%	14.4%	17.1%	18.7%
STRAITS	1.9%	2.6%	3.2%	4.3%	5.6%	7.4%	9.9%	12.6%	15.1%	18.0%	19.5%

DNR has designated forest stand acreage within regeneration harvest deferred areas in each HCP planning unit to meet or exceed the policy's 10% older-forest target. This identified acreage is designated in DNR's GIS database as the Westside Forest Cover (Conservation Areas) and Older-Forest in Conservation Areas layers.

The Last Crocker Sorts Resale Timber Sale is not identified as one of those stands designated to meet older-forest targets over time. Following the timber sale, the variable retention harvest units will be replanted with native, conifer tree species that will be supplemented by natural regeneration expected to occur as a result of the conservation areas in and around the harvest units.

c. Briefly describe any specific mitigation measures proposed, in addition to the mitigation provided by plans and programs listed under question A-13-b.

All mitigation measures are clearly outlined in the HCP. No additional mitigation measures have been developed for this proposal.

d. Based on the answers in questions A-13-a through A-13-c, is it likely potential impacts from this proposal could contribute to any environmental concerns listed in question A-13-a?

It is not likely potential impacts from this proposal will contribute to the environmental concerns listed in question A-13-a. DNR's HCP, the Policy for Sustainable Forests, and the Forest Practice rules substantially helps the Department to mitigate for cumulative effects related to management activities. These strategies have been incorporated in this proposal.

e. Complete the table below with the reasonably foreseeable future activities within the associated WAU(s) (add more lines as needed). Future is generally defined as occurring within the next 7 years. This data was obtained from DNR's Land Resource Manager System on the date of processing this checklist and may be subject to change.

WAU Name	Total WAU Acres	DNR- managed WAU Acres	Acres of DNR proposed even-aged harvest in the future	Acres of DNR proposed unevenaged harvest in the future	Acres of proposed harvest on non-DNR-managed lands currently under active FP permits
LITTLE QUIL	27662	2487	258	177	859
DISCOVERY BAY	75263	9326	602	741	2049

Other management activities, such as stand and road maintenance, will likely occur within the associated WAU(s).

B. ENVIRONMENTAL ELEMENTS

1	Ea	rt	h

a.	General	description o	f the site (check one):			
	\square Flat,	\boxtimes Rolling,	\square Hilly,	☐ Steep	Slopes,	\square Mountain	ious, \square	Other:

1. General description of the associated WAU(s) or sub-basin(s) within the proposal (landforms, climate, elevations, and forest vegetation zone).

WAU: LITTLE QUIL **WAU Acres:** 27662 $0 - 6265 \overline{\text{ft.}}$ **Elevation Range:** 1255 ft. **Mean Elevation:** 45 in./year **Average Precipitation: Primary Forest Vegetation Zone:** Western Hemlock WAU: **DISCOVERY BAY** WAU Acres: 75263 0 - 4258 ft. **Elevation Range:** 600 ft. **Mean Elevation: Average Precipitation:** 25 in./year Western Hemlock **Primary Forest Vegetation Zone:**

2. Identify any difference between the proposal location and the general description of the WAU or sub-basin(s).

This proposal is a representative example of the WAUs at the same elevation and aspect. In general, it is located at lower elevation.

- b. What is the steepest slope on the site (approximate percent slope)? 44%
- c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them and note any agricultural land of long-term commercial significance and whether the proposal results in removing any of these soils.

Note: The following table is created from state soil survey data. It is an overview of general soils information for the soils found in the sale area. The actual soil conditions in the sale area may vary considerably based on land-form shapes, presence of erosive situations, and other factors.

	Soil Texture
State Soil Survey	
#	
0056	GRAVELLY SANDY LOAM
0064	GRAVELLY SANDY LOAM
0973	GRAVELLY SILT LOAM
0048	GRAVELLY LOAM

48	3	GRAVELLY LOAM
d.	Are there surfadescribe.	ace indications or history of unstable soils in the immediate vicinity? If so,
	✓ Yes, briefly proposal site. and question and question and question are unstable Landslide inventory, was case studies a inventory, more of remotely idea of various levels databases. Firextent of magare not intended slope stability screening too	describe potentially unstable slopes or landforms in or around the area of the For further information, see question A-8 for related slope stability documents A-10 for the FPA number(s) associated with this proposal. slopes review included published landslide inventories as screening tools. The sentories come from many different projects including published geologic tershed analyses, landscape planning, landslide hazard zonation, and other and mapping efforts. Other than the Washington Geology Survey landslide lost of these landslide data sources predate lidar availability. A large majority dentified landslides have not been verified in the field and were mapped with a of certainty. Dormant and relict deep-seated landslides are included in many led verification is a necessary step in confirming the absence, presence, and loped features, as well as their actual level of activity/instability. These datasets ded as substitutes for a detailed investigation of potential slope instability by a trained field staff. Available landslide inventories and other remote als were reviewed for this proposal by foresters and state lands geologists. Sitesis may result in conclusions that are different from the information available ing tools.
	slope stability in accordance was identified	nstable rule identified landforms (RILs) around the harvest were identified by y trained field staff and/or a licensed geologist through office and field review e with the Washington State Forest Practices rules. An inner gorge feature d and is located between Units 3 and 4, and another northwest of Unit 4. outside of the unit boundaries.
	*	he proposal include any management activities proposed on potentially unstable or landforms?
	⊠ No	☐ Yes, describe the proposed activities:
	and ha	ibe any slope stability protection measures (including sale boundary location, road, arvest system decisions) incorporated into this proposal. are no rule identified landforms in the proposed sale area. The inner gorge

slopes in the sale have been protected with leave tree areas as well.

slopes are fully contained within the riparian management zones. The steepest

e. Describe the purpose, type, total area, and approximate quantities and total affected area of any filling, excavation, and grading proposed. Indicate source of fill.

Approx. acreage new roads: 1.4 Acres
Approx. acreage new landings: 2.7 Acres (based on 100 ft x 100 ft impacted area)
Fill Source: Native on-site material will be excavated during road and landing
construction. This material will be used for fill as needed. Rock for ballast and
surfacing will come from a commercial source (approx. 9,800 CY).

- f. Could erosion occur as a result of clearing, construction, or use? If so, generally describe. Yes. Some erosion could occur as a result of building new roads, installing culverts, and hauling timber.
- g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)? Approximate percent of proposal in permanent road running surface (includes gravel roads):

 Approximately 1% of the site will remain as gravel roads.
- h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any: (Include protection measures for minimizing compaction or rutting.)

 Harvesting and road construction will be restricted during periods of heavy rainfall when rutting and surface erosion may occur. Roads will be constructed with properly located ditches, ditch-outs, and cross-drains to divert water onto stable forest floors and/or into stable natural drainages. Best management practices will be utilized as necessary in proximity to live waters. Ground based operations will be suspended during periods of wet weather or wet soil conditions when rutting of shovel roads begins. The sale will be harvested using only shovel equipment. Lead end suspension will also be required for all yarding activities. A timing restriction from November 1st to June 30th will be applied to the steeper ground in the southwest part of Unit 4, when subsurface flow is predicted to be near the surface.

2. Air

a. What types of emissions to the air would result from the proposal during construction, operation, and maintenance when the project is completed? If any, generally describe and give approximate quantities if known.

Harvest operations and the removal of timber will result in minor amounts of greenhouse gas (GHG) emissions from the proposal site. Emissions directly related to this project during operations include emissions from the equipment used to conduct the harvest and emissions from trucks hauling logs to mills and then returning to the project site. Emissions onsite after project completion include the decomposition and/or burning of logging residuals (i.e. branches, tops, and other logging slash). The duration of that emitting activity is unknown, as the decision to burn piles will be made following harvest based on weather conditions, staff resources, wildfire risk, impediment of slash to regeneration efforts, and other factors that are not yet known. Burning piles would release carbon from logging residuals in a relatively short period of time (likely within a few years). Decomposition of slash piles can take decades.

See A.13.a. for details regarding completed landscape-scale analyses of carbon emissions and sequestration on DNR-managed forestlands in western Washington. A more detailed discussion of project-related emissions, and an estimated quantification of those emissions, can be found in Appendix B: Climate Change Supplement to the SEPA Checklist.

b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

Landscape-scale analyses of carbon dioxide emissions associated with harvested wood products from DNR forested trust lands can be found in Alternatives for the Establishment of a Sustainable Harvest Level Final Environmental Impact Statement (2019) and the Long-Term Conservation Strategy for the Marbled Murrelet Final Environmental Impact Statement (2019). Estimates for GHG emissions associated with logging trucks transporting logs from this project site to nearby mills are included in Appendix B: Climate Change Supplement to the SEPA Checklist. See especially, "Emissions from Land Management Activities."

c. Proposed measures to reduce or control emissions or other impacts to air, if any:

Within three years following harvest, the project area will be reforested with native tree species at a stocking level higher than existed prior to harvest. Tree planting, along with natural seeding, will result in regeneration of the forest stand, initiating carbon sequestration through forest stand growth. DNR will conduct seedling survival surveys at the project site following planting to assure survival of the next stand to meet regulatory standards (RCW 76.09.070; WAC 222-34-010) and protect the value of this working forest for future generations.

3. Water

- a. Surface Water:
 - 1) Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into. (See "WAU Map(s)" and "Timber Harvest Unit Adjacency Map(s)" as referenced on the DNR website: http://www.dnr.wa.gov/sepa. Click on the DNR region of this proposal under the Topic "Current SEPA Project Actions Timber Sales." Proposal documents also available for review at the DNR Region Office.)
 - \square No \boxtimes Yes, describe in 3-a-1-a through 3-a-1-c below
 - a. Downstream water bodies:

Streams near the north boundary of Unit 1 flow to Crocker Lake and Andrews Creek, which feed into Snow Creek and Discovery Bay. All other streams associated with the sale flow south into Leland Creek, which makes its way to the Little Quilcene River before entering Quilcene Bay.

b. Complete the following riparian & wetland management zone table:

Wetland, Stream, Lake, Pond, or Saltwater Name (if any)	Water Type	Number (how many?)	Avg RMZ/WMZ Width in feet (per side for streams)
Wetland (>1.0 acre)	Forested	3	150
Wetland (<0.25 acre)	Forested	8	N/A
Streams	3	1	150
Streams	4	1	100
Streams	5	8	N/A

c. List any additional RMZ/WMZ protection measures including silvicultural prescriptions, road-related RMZ/WMZ protection measures and wind buffers. All of the small, forested wetlands and Type 5 streams are protected by large leave tree areas (except at one designated crossing), or are located outside the sale boundaries. Harvesting will not occur within the RMZs or WMZs. Wind buffers are not applied.

waters? If yes, please describe and attach available plans.
\square No
⊠ Yes (See RMZ/WMZ table above and timber sale maps which are available on the
DNR website: http://www.dnr.wa.gov/sepa . Timber sale maps are also available at the
DNR region office.)

2) Will the project require any work over, in, or adjacent to (within 200 feet) the described

Description (include culverts):

Timber felling, bucking, yarding, or road work will occur within 200 feet of all the described waters above. All activities will be done in accordance with the DNR's HCP and Forest Practice rules. Timber harvest will occur within 200' of typed waters, but no closer than described above in questions B.3.a.1.b and B.3.a.1.c. There will be one designated crossing of a Type 5 stream in Unit 1. Culvert work listed in A.11.C will also occur over a Type 5 stream. A 24" x 30' culvert will be installed at this location on the PT-O-3400 road. See the Forest Practice Application with accompanying maps and plans for more details.

3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

A temporary log fill crossing will be constructed across a Type 5 stream in Unit 1. The designated crossing will be limited to the State's location. An 18" x 20' culvert will be laid in the stream channel, and logs shall be placed around the pipe up to the level of the stream banks with a shovel. The structure shall be removed immediately upon completion of yarding. See the Forest Practice Application with accompanying maps and plans for more details.

4)	Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known. (Include diversions for fishpassage culvert installation.)
	☐ No ☐ Yes, description: Temporary water diversion may be required for the Type 5 pipe replacement, depending upon the exhibited flow and timing of road work.
5)	Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.
	\boxtimes No \square Yes, describe activity and location:
6)	Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge. It is not likely that any waste materials will be discharged into the surface water(s). However, minor amounts of oil, fuel, and other lubricants may inadvertently be discharged to the adjacent surface water(s) as a result of heavy equipment use or mechanical failure. No lubricants will be disposed of on-site.
7)	Is there a potential for eroded material to enter surface water as a result of the proposal considering the protection measures incorporated into the proposal's design?
	\square No \boxtimes Yes, describe: Soils and terrain susceptible to surface erosion are generally located on slopes steeper than 70%. The potential for eroded material to enter surface water is minimized due to the erosion control measures and operational procedures outlined in B-1-h.
8)	What are the approximate road miles per square mile in the associated $WAU(s)$?
	LITTLE QUIL = 3.9 (mi./sq. mi.), DISCOVERY BAY = 3.7 (mi./sq. mi.)
9)	Are there forest roads or ditches within the associated $WAU(s)$ that deliver surface wate to streams, rather than back to the forest floor?
	□ No □ Yes, describe: It is likely some roads or road ditches within the WAU intercept sub-surface flow and deliver surface water to streams, however current road work standards will be applied that address this issue by installing cross-drains to deliver ditch water to stable forest floors.
10,	Is there evidence of changes to channels associated with peak flows in the proposal area (accelerated aggradations, surface erosion, mass wasting, decrease in large organic debris (LOD), change in channel dimensions)?
	\boxtimes No \square Yes, describe observations:

- 11) Describe any anticipated contributions to peak flows resulting from this proposal's activities which could impact areas downstream or downslope of the proposal area. It is not likely the proposed activity will change the timing, duration, or volume of water during a peak flow event. This proposal limits harvest unit size and proximity to other recent harvests, minimizes the extent of the road network, incorporates road drainage disconnected from stream networks, and implements wide riparian buffers which all have mitigating effects on the potential for this proposal to increase peak flows that could impact areas downstream or downslope of the proposal area.
- 12) Is there a water resource (public, domestic, agricultural, hatchery, etc.), or area of slope instability, <u>downstream or downslope of the proposed activity?</u>

\square 100 \square 103, describe the water resource(s)	\square No	$\boxtimes Yes$	describe the	water	resource	(s)):
---	--------------	-----------------	--------------	-------	----------	-----	----

There are inner gorge areas below Units 3 & 4 fully contained in the RMZ. There are no known water intakes directly downstream of the proposal.

a. Is it likely a water resource or an area of slope instability listed in B-3-12 (above) will be affected by changes in amounts, quality or movements of surface water as a result of this proposal?

$\boxtimes No$	\Box	Voc	describe	nossible	impacts
$\triangle NO$	$\sqcup I$	es,	aescribe	possible	impacis.

13) Describe any protection measures, in addition to those required by other existing plans and programs (i.e. the HCP, DNR landscape plans) and current forest practice rules included in this proposal that mitigate potential negative effects on water quality and peak flow impacts.

Two temporary log fill crossings will also be constructed across a wet swale in Unit 4 which seasonally exhibits areas of standing, ponded water. This will prevent soil disturbance within the banks of the swale, and reduce the potential for sediment to be delivered to the initiation point of the Type 5 stream below.

Restricting timber harvest and road maintenance activities during peak rain events will allow for increased resource protection. Road development and maintenance standards will minimize impacts by using cross-drains and ditch-outs to release ditch water onto stable forest floors where flow energy can dissipate prior to reach stream channels. Best management practices, including installation of sediment traps and silt fencing and seeding/mulching of exposed soils, also will help mitigate potential negative effects on water quality. Maintaining RMZs and leave tree areas on streams will aid bank stability, hydrologic functions, and provide recruitment of LWD. Further peak flow mitigation is accomplished by harvest planning design at the landscape level by limiting harvest unit size, distributing units across the landscape, and by adhering to sustainable harvest rates. See B.1.d.2, B.1.h, and B.3.a.1 for additional details on protections measures within this proposal.

h (Ground	1 17	Latar
n (uronna	1 W	v arer:

1) Will groundwater be withdrawn from a well for drinking water or other purposes? If so, give a general description of the well, proposed uses and approximate quantities withdrawn from the well. Will water be discharged to groundwater? Give general description, purpose, and approximate quantities if known.

No water will be withdrawn or discharged.

2) Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals; agricultural; etc.). Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

Minor amounts of oil, fuel, and other lubricants may inadvertently be discharged to ıts

	the ground as a result of heavy equipment use or mechanical failure. No lubricant will be disposed of on-site. All spills are required to be contained and cleaned-up. This proposal is expected to have no impact on ground water.
3)	Is there a water resource use (public, domestic, agricultural, hatchery, etc.), or area of slope instability, <u>downstream or downslope</u> of the proposed activity?
	☐ No ☐ Yes, describe: There are inner gorge areas below Units 3 & 4 fully contained in the RMZ. There are no known water intakes directly downstream of the proposal.
	a. Is it likely a water resource or an area of slope instability listed in B-3-b-3 (above) could be affected by changes in amounts, timing, or movements of groundwater as a result this proposal?
	\boxtimes No \square Yes, describe possible impacts: Note protection measures, if any:
c. Water	runoff (including stormwater):
1)	Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe. Water runoff, including storm water, from road surfaces will be collected by roadside ditches and diverted onto the forest floor via ditch-outs and cross drain culverts.
2)	Could waste materials enter ground or surface waters? If so, generally describe.
	 □ No □ Yes, describe: Waste materials, such as sediment or slash, may enter surface water. Note protection measures, if any: No additional protection measures will be necessary to protect these resources

beyond those described in B-1-d-2, B-1-h, B-3-a-2, and B-3-a-13.

3) Does the proposal alter or otherwise affect drainage patterns in the vicinity of the site? If so, describe.

No changes to drainage patterns are expected.

d. Proposed measures to reduce or control surface, ground, and runoff water, and drainage pattern impacts, if any:

See surface water, ground water, and water runoff sections above, questions B-3-a-1-c, B-3-a-13, B-3-b-3, and B-3-c-2.

4. Plants

a.	Check the types of vegetation found on the site:							
	⊠ Deciduous tree:							
	oxtimes Alder $oxtimes$ Aspen $oxtimes$ Birch $oxtimes$ Cottonwood $oxtimes$ Maple $oxtimes$ Western Larch							
	☑ Other: cherry							
\geq	⊠ Evergreen tree:							
	oxtimes Douglas-Fir $oxtimes$ Engelmann Spruce $oxtimes$ Grand Fir $oxtimes$ Lodgep	ole Pine						
	\square Mountain Hemlock \square Noble Fir \square Pacific Silver Fir \square Ponder	osa Pine						
	⊠ Sitka Spruce ⊠ Western Hemlock ⊠ Western Redcedar □ Yellow	Cedar						
	☐ Other:							
\geq	⊠ Shrubs:							
	oxtimes Huckleberry $oxtimes$ Rhododendron $oxtimes$ Salmonberry $oxtimes$ Salal							
	☑ Other: Oregon grape, ocean spray, elderberry, blackberry, vine maple							
\geq	⊠ Ferns							
\geq	⊠ Grass							
	☐ Pasture							
	□ Crop or Grain							
	\square Orchards \square Vineyard \square Other Permanent Crops							
\geq	☑ Wet Soil Plants:							
	\square Bullrush \boxtimes Buttercup \boxtimes Cattail \boxtimes Devil's Club \boxtimes Skunk Cabbage							
	⊠ Other: sedge, piggyback plant, nettle							
	□ Water plants:							
	☐ Eelgrass ☐ Milfoil ☐ Water Lily							
	☐ Other:							
	☐ Other types of vegetation:							
	□ Plant communities of concern:							
b.	What kind and amount of vegetation will be removed or altered? (Also see answe questions A-11-a, A-11-b and B-3-a-2). Approximately 5,447 MBF of 19-85 year-old timber will be harvested with proposal.							

1) Describe the species, age, and structural diversity of the timber types immediately adjacent to the removal area. (See "WAU Map(s)" and "Timber Harvest Unit Adjacency Map(s)" on the DNR website: http://www.dnr.wa.gov/sepa. Click on the DNR region of this proposal under the Topic "Current SEPA Project Actions - Timber Sales." Proposal documents also available for review at the DNR Region Office.)

The removal area is part of a managed forestland landscape. All adjacent timber stands are Western Hemlock Zone forests largely composed of Douglas-fir, western hemlock, western redcedar and red alder. The stand descriptions below are derived in part from DNR's Forest Resource Inventory System (FRIS) Age Class spatial dataset.

Unit 1 is bordered by the following State timber of listed age: 27-year Douglas fir and alder stand, and a short segment of 85-year mature timber to the north; 36-year thinned Douglas fir stand to the east; 27-year Douglas fir and alder stand the south; and both 5- and 19-year-old stands to the west. Unit 2 is bordered by a 36-year thinned Douglas fir stand to the north; privately owned 12 and 25-year Douglas fir stands to the east; 19-year Douglas fir stand to the south; and a 27-year mixed Douglas fir and alder stand to the west. Unit 3 is bordered by a 19-year Douglas fir stand to the north; recently harvested private land to the south; and 77-year mature timber to the east and west. Unit 4 is bordered by 19-year Douglas fir stand to the north; 77-year mature timber to the east; recently harvested private land to the south; and 58-year private and State timber comprised mostly of alder to the west. Units 5 and 6 are Right-of-Ways through 36- and 19-year-old stands of Douglas fir respectively.

- c. List threatened and endangered *plant* species known to be on or near the site. **None found in corporate database.**
- d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Retaining existing stands within bounded out areas throughout the proposal, leave tree areas within harvest units, and replanting with native conifer species in the VRH units following harvest. Other native conifer and deciduous species may regenerate naturally. Leave trees provide a dominant cohort for the next stand as well as a source for future snags and down dead wood. They also serve as a native seed source, representing the diversity of species within the current stand. Leave trees were selected to meet or exceed the required minimum density of at least eight trees per sale acre. These numbers were exceeded significantly in Unit 4, to in part, achieve the objective of visual mitigation from Highway 101. At least two leave trees per acre were selected from the largest diameter or dominant crown class.

The proposal area was gridded in the field for the presence of both individual old growth trees and old growth stands exceeding 5 acres, per DNR policy. The units and adjacent stands were also vetted remotely using ArcGIS spatial datasets to identify areas with a moderate or high probability of old growth occurrence (RS-FRIS Combined Origin Year raster layer, and Weighted Old Growth Habitat Index [WOGHI] point and polygon layers). Only one true old growth remnant was found, and it was marked as a leave tree. No stands were identified.

e. List all noxious weeds and invasive species known to be on or near the site. Scotch broom.

5.

Ani	imals								
a.	the site or are known birds:	d other animals or unique habitown to be on or near the site. Example 1. It is a comparable of the site of \square owls \square songbing the site of \square owls \square owls \square songbing the site of \square owls \square owls \square owls \square or \square owls \square or \square owls \square owls \square or \square or \square or \square owls \square or	xamples include:	ed on or near					
	\boxtimes other: dove , g	_	us						
	mammals:	,							
	\boxtimes bear \square beaver \boxtimes coyote \square cougar \boxtimes deer \square elk								
	⊠ other: bobcat								
	fish:								
	□ bass □ herrin	$_{ m log}$ \square salmon \square shellfish \square tr	out						
	□ other:								
	amphibians/repti		.1						
	$oxtimes frog \Box$ lizard \Box salamander $oxtimes$ snake \Box turtle								
	□ other: unique habitats:								
	*	$s \square$ cliffs \square mineral springs	\square oak woodlands \square talus	slones					
	□ other:	s 🗆 engs 🗀 minerai springs	□ oak woodianas □ iaias	stopes					
	_ omer.								
b.	List any threaten	ed and endangered species kno	own to be on or near the site	(include					
	federal- and state	e-listed species).							
]	TSU Number	Common Name	Federal Listing Status	State Listing Status					
	T CROCKER	Marbled murrelet	Threatened	Endangered					
SOR	TS RESALE			_					
U1									
c.	⊠ Pacific flyway Explain:	a migration route? If so, expla Other migration route on State is considered part of	::	ipacts are anticipated					

as a result of this proposal.

- d. Proposed measures to preserve or enhance wildlife, if any:
 - 1) Note existing or proposed protection measures, if any, for the complete proposal described in question A-11.

Species /Habitat: Marbled Murrelet Protection Measures:
The Special Concerns Report identified a biotic detection for marbled murrelet north of Unit 1, however the proposal is far removed from any special habitat area, occupied site or buffer. Unit 4 borders identified long term forest cover (LTFC) within an adjacent wetland management zone. Previously modeled possible LTFC is being updated as a result of fieldwork. Some long-term forest cover will be preserved through establishment of riparian and wetland management zones. Planned activities are beyond threshold distances for disturbance, and no timing restrictions are required.

Species /Habitat: Riparian and Wetland Protection Measures: Buffers have been applied to all Type 3 and 4 waters, and the larger wetlands as described in B.3.a.1.b. Buffers are designed to protect the stream banks, protect waters and wetlands from siltation, and decrease water temperatures by providing shade and cover. Furthermore, these buffers will provide long term forest cover that, in combination with the murrelet strategy, will help support old-forest dependent wildlife.

Species / Habitat: **Upland** Protection Measures:

Wind-firm, dominant, and structurally unique trees were targeted for retention. A minimum of eight trees per acre were retained individually and in clumps to provide habitat structures for wildlife species within VRH units. Timber removal will temporarily create open environments that provide valuable foraging and potential habitat for a variety of wildlife species associated with early-stage forest environments.

e. List any invasive animal species known to be on or near the site. **None known.**

6. Energy and natural resources

- a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.
 - Petroleum fuel (diesel or gasoline) will be used for heavy equipment during active road building, timber harvest operations, and for transportation. No energy sources will be needed following project completion.
- b. Would your project affect the potential use of solar energy by adjacent properties?
 If so, generally describe.
 No.

c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:
 None.

7. Environmental health

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste that could occur as a result of this proposal? If so, describe.
 - 1) Describe any known or possible contamination at the site from present or past uses. **None known.**
 - 2) Describe existing hazardous chemicals/conditions that might affect project development and design. This includes underground hazardous liquid and gas transmission pipelines located within the project area and in the vicinity.

 None known.
 - Describe any toxic or hazardous chemicals that might be stored, used, or produced during the project's development or construction, or at any time during the operating life of the project.
 Petroleum-based fuel and lubricants may be used and stored on site during the
 - 4) Describe special emergency services that might be required.

 The Department of Natural Resources, private, and fire protection district suppression crews may be needed in case of wildfire. In the event of personal injuries, emergency medical services may be required. Hazardous material spills may require Department of Ecology and/or county assistance.
 - 5) Proposed measures to reduce or control environmental health hazards, if any: No petroleum-based products will be disposed of on site. If a spill occurs, containment and cleanup will be required. Spill kits are required to be onsite during all heavy equipment operations. The cessation of operations may occur during periods of increased fire risk. Fire tools and equipment, including pump trucks and/or pump trailers, will be required on site during fire season.

NOTE: If contamination of the environment is suspected, the proponent must contact the Department of Ecology.

operating life of this project.

b. Noise

What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?
 None.

2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site.

There will be short term, low level and high-level noise created by the use of harvesting equipment and hauling operations within the proposal area. This type of noise has been historically present in this geographical area.

3) Proposed measures to reduce or control noise impacts, if any:

Operations will not be permitted on weekends and State-recognized holidays.

8. Land and shoreline use

a. What is the current use of the site and adjacent properties? Will the proposal affect current land uses on nearby or adjacent properties? If so, describe. (Site includes the complete proposal, e.g. rock pits and access roads.)

Current use of site and adjacent land types: This proposal will not change the use of or affect the current/long term land use of areas associated with this sale.

b. Has the project site been used as working farmlands or working forest lands? If so, describe. How much agricultural or forest land of long-term commercial significance will be converted to other uses as a result of the proposal, if any? If resource lands have not been designated, how many acres in farmland or forest land tax status will be converted to nonfarm or nonforest use?

This proposal site has been used as working forest lands. This proposal will retain the site in working forest lands.

1) Will the proposal affect or be affected by surrounding working farm or forest land normal business operations, such as oversize equipment access, the application of pesticides, tilling, and harvesting? If so, how:

No.

c. Describe any structures on the site.

None.

d. Will any structures be demolished? If so, what? **No.**

e. What is the current zoning classification of the site? **Commercial Forest (CF-80).**

f. What is the current comprehensive plan designation of the site? Commercial Forest (CF-80).

g. If applicable, what is the current shoreline master program designation of the site? **Not applicable.**

- h. Has any part of the site been classified as a critical area by the city or county? If so, specify. Portions of Units 2 and 4 have been classified as slight landslide hazard areas by Jefferson County.
- i. Approximately how many people would reside or work in the completed project? **None.**
- j. Approximately how many people would the completed project displace? **None.**
- k. Proposed measures to avoid or reduce displacement impacts, if any: **Does not apply.**
- 1. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any:

This project is consistent with current comprehensive plans and zoning classifications.

m. Proposed measures to ensure the proposal is compatible with nearby agricultural and forest lands of long-term commercial significance, if any:
 None.

9. Housing

a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

Does not apply.

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

Does not apply.

c. Proposed measures to reduce or control housing impacts, if any: **None.**

10. Aesthetics

a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?

Does not apply.

b. What views in the immediate vicinity would be altered or obstructed? 1) Is this proposal visible from a residential area, town, city, recreation site, major transportation route or designated scenic corridor (e.g., county road, state or interstate highway, US route, river or Columbia Gorge SMA)? \boxtimes Yes, name of the location, transportation route or scenic corridor: Views in the immediate vicinity of Highway 101. including views from residences near the harvest area, would be altered. 2) How will this proposal affect any views described above? The current views from affected areas are of forested flats and hillsides. This proposal will result in the removal of mature timber. Over the next several years, the harvest area will be more easily identifiable within the view shed. The area will return to fully stocked condition, and blend in with the rest of the view shed as the planted trees grow toward canopy closure. c. Proposed measures to reduce or control aesthetic impacts, if any: Clumped and dispersed leave trees in Unit 4 have been strategically placed to provide visual breaks over the harvest area when viewed from the highway. The timber sale will be replanted with native species following harvest. The distribution of harvests in the view shed over time will also help reduce aesthetic impacts. 11. Light and glare a. What type of light or glare will the proposal produce? What time of day would it mainly occur? None. b. Could light or glare from the finished project be a safety hazard or interfere with views? No. c. What existing off-site sources of light or glare may affect your proposal?

12. Recreation

None.

None.

a. What designated and informal recreational opportunities are in the immediate vicinity? Dispersed informal recreation in the form of hiking, hunting, berry picking, and sightseeing. Logging road are also used for ATV/motorcycles, mountain bike, and horseback riding.

d. Proposed measures to reduce or control light and glare impacts, if any:

b. Would the proposed project displace any existing recreational uses? If so, describe.
 There may be some disruptions to recreational use during periods of harvesting and hauling.

Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:
 None.

13. Historic and cultural preservation

a. Are there any buildings, structures, or sites, located on or near the site that are over 45 years old listed in or eligible for listing in national, state, or local preservation registers? If so, specifically describe.

Site JE00411 is west of this proposal and well outside of the sale area.

- b. Are there any landmarks, features, or other evidence of Indian or historic use or occupation? This may include human burials or old cemeteries. Are there any material evidence, artifacts, or areas of cultural importance on or near the site? Please list any professional studies conducted at the site to identify such resources.
 No. A trained DNR forester screened potential features in the field identified by the Cultural Resource Technician (CRT) during the desk review. None were found to exist.
- c. Describe the methods used to assess the potential impacts to cultural and historic resources on or near the project site. Examples include consultation with tribes and the department of archeology and historic preservation, archaeological surveys, historic maps, GIS data, etc. Historical maps and DAHP database of known archaeological sites were reviewed. Historic USGS, Government Land Office Maps, Topographic maps and Land Resource Manager (LRM) Special Concerns Report were used to identify cultural resources in the proposed project area. An office review by a Cultural Resource Technician and a field review by a forester trained in cultural resource identification were completed.
- d. Proposed measures to avoid, minimize, or compensate for loss, changes to, and disturbance to resources. Please include plans for the above and any permits that may be required.
 If a presently-unknown cultural resource is discovered during project operations,
 DNR will comply with the Cultural Resources Inadvertent Discovery Guidance dated March 2010 or its successor procedure.

14. Transportation

- a. Identify public streets and highways serving the site or affected geographic area and describe proposed access to the existing street system. Show on site plans, if any.
 The proposal site is accessed via Highway 104, and the PT-O-3000 State road system.
- b. Is the site or affected geographic area currently served by public transit? If so, generally describe. If not, what is the approximate distance to the nearest transit stop?

 No. Nearest transit spot is approximately 4 miles away.

		bicycle or state transportation facilities, not including driveways? If so, generally describe (indicate whether public or private). Yes, see A-11-c.
		1) How does this proposal impact the overall transportation system/circulation in the surrounding area and any existing safety problem(s), if at all? This project will have minimal to no additional impacts on the overall transportation system in the area.
	d.	Will the project or proposal use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe. No.
	e.	How many vehicular trips per day would be generated by the completed project or proposal? If known, indicate when peak volumes would occur and what percentage of the volume would be trucks (such as commercial and non-passenger vehicles). What data or transportation models were used to make these estimates? Approximately 10 to 15 truck trips per day while the operation is active. Peak volumes would occur during the yarding and loading activities between 4:00 a.m. and 4:00 p.m. of the operating period. The completed project will generate less than one vehicular trip per day. Estimates are based on the observed harvest traffic of past projects.
	f.	Will the proposal interfere with, affect or be affected by the movement of agricultural and forest products on roads or streets in the area? If so, generally describe. No.
	g.	Proposed measures to reduce or control transportation impacts, if any: Warning signs and CB channel information for truck haul will be posted. The existing private gate and the State's existing gate on the PT-O-3000 road system will be kept locked during periods of inactivity.
15.	. Pı	ablic services
	a.	Would the project result in an increased need for public services (for example: fire protection, police protection, public transit, health care, schools, other)? If so, generally describe. No.
	b.	Proposed measures to reduce or control direct impacts on public services, if any. None.
16.	. U1	tilities
		Check utilities currently available at the site: electricity □ natural gas □ water □ refuse service □ telephone □ sanitary sewer septic system □ other:
		2.0

c. Will the proposal require any new or improvements to existing roads, streets, pedestrian,

b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

None.

Unresolved conflicts analysis

RCW 43.21C.030(2)(e) requires an analysis of whether the proposal involves "unresolved conflicts concerning the alternative uses of available resources," and if so, to discuss alternatives. Here, DNR proposes managing state trust lands consistent with statutory provisions to sell timber from DNR-managed lands on a sustainable basis (RCW 79.10.340), and its fiduciary responsibility as a trust manager to "make the trust lands productive." *Conservation NW v. Franz*, 199 Wn.2d 813, 829-30 (2022). DNR also gives priority to income producing uses of lands, over other uses of this property, in accordance with RCW 79.10.120 (uses not compatible with financial management associated with trust lands "may be permitted only if there is compensation from such uses satisfying the financial obligations.").

At this site, no other, significant, income-producing use of these lands exists, consistent with the provisions above. The uses at this site are consistent with the lands surrounding the site, and do not affect those uses. Timber harvest is consistent with historic use of this site, dating back to the 1930s. While recreational uses will be temporarily displaced, such displacement is consistent with RCW 79.10.120. For these reasons, there are no unresolved conflicts concerning alternative uses of the site.

Despite the fact that DNR has identified no unresolved conflicts over the use of this land, we have considered three alternatives for this project site (Appendix A): a no harvest alternative, a thinning alternative which would remove one-third of standing live timber volume, and the project as proposed (the "preferred alternative" as outlined in the checklist above).

\sim		
•	SIGNATURI	7
C.	SIGNATURI	١,

The above answers are true and complete to the best of my knowledge	. I understand that the lead
agency is relying on them to make its decision.	

Signature: <u>Marke Benner</u>

Name of signee Mark R Benner

Position and Agency/Organization <u>Center Unit Coordinator/DNR Olympic Region</u>

Date Submitted: <u>10/09/2024</u>

Alternatives Comparison

Earth No change to existing conditions Proximity to the same potentially unstable slopes described in the checklist. Management associated with potentially unstable slopes is designed to minimize the impacts of activities. Higher retention of existing stand is anticipated to result in lower potential instability due to higher retention of rooting strength. Compaction from harvest operations would be focused to fewer skid trails although higher concentration of use on those fewer skid trails. Same new forest road construction as described in checklist. Erosion potential same as described in checklist. Impacts associated with potential sediment delivery to typed waters All Earth impacts and mitigation were fully described in the checklist. Overall environmental impacts to Earth elements are very similar to the thinning option. There may be a slightly higher risk of soil disturbance due to activity associated with the higher level of tree removals, but no significant impacts are present in the proposal under any alternative due to the care taken in laying out the harvest units to avoid potentially unstable landforms, and the buffers protecting those landforms and riparian areas.		No Action (Alt A)	33% Thinning (Alt B)	Project as Proposed - VRH (Alt C)		
conditions proximity to the same potentially unstable slopes described in the checklist. Management associated with potentially unstable slopes is designed to minimize the impacts of activities. Higher retention of existing stand is anticipated to result in lower potential instability due to higher retention of rooting strength. Compaction from harvest operations would be focused to fewer skid trails although higher concentration of use on those fewer skid trails. Same new forest road construction as described in checklist. Erosion potential same as described in checklist. Impacts associated with potential sediment delivery to typed waters fully described in the checklist. Overall environmental impacts to Earth elements are very similar to the thinning option. There may be a slightly higher risk of soil disturbance due to activity associated with the higher level of tree removals, but no significant impacts are present in the proposal under any alternative due to the care taken in laying out the harvest units to avoid potentially unstable landforms, and the buffers protecting those landforms and riparian areas.						
and road best management practices.	Earth	No change to existing	Harvest and forest road operations are in proximity to the same potentially unstable slopes described in the checklist. Management associated with potentially unstable slopes is designed to minimize the impacts of activities. Higher retention of existing stand is anticipated to result in lower potential instability due to higher retention of rooting strength. Compaction from harvest operations would be focused to fewer skid trails although higher concentration of use on those fewer skid trails. Same new forest road construction as described in checklist. Erosion potential same as described in checklist. Impacts associated with potential sediment delivery to typed waters mitigated by buffers, leave tree areas,	fully described in the checklist. Overall environmental impacts to Earth elements are very similar to the thinning option. There may be a slightly higher risk of soil disturbance due to activity associated with the higher level of tree removals, but no significant impacts are present in the proposal under any alternative due to the care taken in laying out the harvest units to avoid potentially unstable landforms, and the buffers protecting those landforms and		

APPENDIX A: Alternatives Comparison

	No Action (Alt A)	33% Thinning (Alt B)	Project as Proposed - VRH (Alt C)
Air & Climate	Existing carbon in trees and root systems would be stored until trees die, blow down, or burn. Carbon emitted through burning and/or biomass decay.	Estimated emissions from timber harvesting operations, hauling, and decay of harvest residuals: 6,574 metric tons of CO2 equivalents. (See Appendix B: Climate Change Supplement to the SEPA Checklist) Slightly lower emissions in the transportation and manufacturing process due to harvest of less timber products. Existing carbon in reserved trees and roots would be stored until trees die, blow down, or burn. Potentially lower risk of catastrophic fire due to lower tree density.	Estimated emissions from timber harvesting operations, hauling, and decay of harvest residuals: 18,316 metric tons of CO2 equivalents. (See Appendix B: Climate Change Supplement to the SEPA Checklist) Cumulative effects on climate change of timber harvest across DNR managed lands are assessed in the 2019 FEIS for the SHC. When all of these emission and sequestration factors are considered together, it is estimated that the volume of carbon stored at the Last Crocker Sorts Resale site, combined with carbon stored offsite in wood harvested from the project area in harvested wood products, will equal pre-harvest levels in 24 years. DNR-managed forestlands across DNR's Olympic Region are expected to recover the emissions associated with the Last Crocker Sorts Resale timber sale in 4.4 days, and DNR-managed forestlands across western Washington will absorb enough carbon within 1.1 days to offset the immediate emissions associated with this project.

APPENDIX A: Alternatives Comparison

	No Action (Alt A)	33% Thinning (Alt B)	Project as Proposed - VRH (Alt C)
Water	No change to existing conditions. Existing road maintenance, including culvert cleaning would not occur, except for emergency road repairs.	Road work associated impacts to streams mitigated by best management practices. Potential for sediment delivery to streams and wetlands mitigated through riparian and wetland buffers and higher retention of existing stand. Lower impact to peak flows with greater retention of existing hydrologic mature stand.	Road work associated impacts to streams mitigated by best management practices. Potential for sediment delivery to streams and wetlands mitigated through riparian and wetland buffers. Potential peak flow impacts mitigated by maintaining as described in the checklist.
Plants & Animals	Existing species use would likely continue, until trees die, blow down, or burn. Potential increase in forest health issues resulting in lack of stand resiliency.	Initial moderate impact to existing stand through retention of majority of existing overstory and less disturbance to understory vegetation may experience a much higher level of impact due to wind damage. Potential spread of forest health issues in unharvested areas. Improvement of habitat to species dependent on older forest conditions.	Higher level of existing stand impact mitigated by leave tree retention and long-term forest cover areas providing habitat. Creates mosaic of habitat types on landscape with gaps providing forage habitat for large ungulates.
Energy & Natural Resources	No change	Petroleum fuel used during active operations only. This use would be somewhat less usage than project as proposed.	Petroleum fuel used during active operations only.

APPENDIX A: Alternatives Comparison

	No Action (Alt A)	33% Thinning (Alt B)	Project as Proposed - VRH (Alt C)
		Built Environment	
Environmental Health	Potential increase in forest health issues resulting in lack of stand resiliency.	Minor fire hazard and petroleum- based product spill during active operations mitigated as described in checklist.	Minor fire hazard and petroleum- based product spill during active operations mitigated as described in checklist.
		Higher risk to worker's safety due to working around higher retainage of leave trees during active operations. Potential spread of forest health issues in unharvested areas.	Moderate risk to worker's safety during active operations. Minimizes spread of forest health issues.
Land/Shoreline Use	No change	No change	No change
Transportation	No change	Minimal impact. Road work as described in the checklist, including maintenance improving existing forest road.	Minimal impact. Road work as described in the checklist, including maintenance improving existing forest road.
Public Svcs/Utils.	No change	No change	No change

APPENDIX A: Alternatives Comparison

	No Action (Alt A)	33% Thinning (Alt B)	Project as Proposed - VRH (Alt C)
Project Objectives	Does not meet fiduciary objective for revenue and to make the trust property productive for beneficiaries. Does not meet wood product supply objectives. Existing forest health issues will continue to increase, reducing site productivity. No anticipated environmental impacts.	Potential minimal trust productivity, and marginal contribution towards revenue production objective. Protects environmental resources. Potential minimal contribution to local wood supply.	Greatest achievement of meeting trust productivity objective and producing revenue for trust beneficiaries. Protects environmental resources through mitigation.

Alternative comparison and preferred alternative selection

Earth: The direct impacts on soil productivity such as compaction, erosion and displacement are expected to be higher for Alternative C than Alternative A and to a lesser degree higher than Alternative B. All types of harvesting can result in short-term surface erosion until the site is re-vegetated. Likelihood of compaction varies based on harvest systems. Ground based systems generally have the greatest potential to impact soils adversely because of the weight of the machinery and distribution of the weight. The difference between Alternatives B and C regarding these impacts vary based on harvest system; they are similar in areas of cable harvest methods (0% of the proposed sale area) and differ more in areas of ground-based harvest methods (100% of the proposed sale area) due to the percentage of the site where ground-based equipment operates. Due to soil type at proposal site, there is little difference between Alternatives B and C and no impact under Alternative A. These observations are all on a relative basis – because of the buffering systems and other mitigation, such as unstable slope avoidance, none of the alternatives would create significant impacts to earth/soils.

Air: Comparison of emissions and air pollutants across the three scenarios shows that emissions increase as the intensity of harvest increases. The no-harvest alternative would result in no short-term emissions, while Alternatives B and C are net emitters of GHGs from fossil fuel and biogenic sources in the short term. Alternative B is expected to result in fewer emissions than Alternative C, as Alternative B would require less fuel from harvesting equipment and would result in fewer trips by logging trucks to mills and less logging residuals. However, emissions from Alternative C will be mitigated and offset by a number of DNR's management practices at both the landscape and project scale. On westside forested trust lands, conservation strategies established in DNR's HCP create, protect, and enhance habitat for multiple riparian and upland species. As a result of these strategies, DNR leaves more carbon on the landscape when compared to even-age forest management that follows only forest practices rules. Examples include larger wetland and riparian buffers, more and larger leave trees, down wood in riparian management zones, conservation of tens of thousands of acres of NSO and marbled murrelet habitat, management for other federal and state listed and candidate species, and protection of less common habitat elements such as caves and oak woodlands. In areas where DNR does manage timber for revenue, DNR tends to employ longer rotation ages than the industry standard, which results in greater carbon sequestration. DNR has deferred from harvest old-growth stands and retains very large diameter and structurally unique trees on trust lands. Across western Washington, DNR conserves more than 120,000 acres of lands in natural areas. All of these conservation measures, combined with prompt reforestation following the harvest described in Alternative C, result in carbon sequestration and storage across DNR lands that rapidly offset project emissions. It is estimated that DNR-managed forests across western Washington will draw in enough CO2 to offset emissions from Alternative C in 1.1 days.

<u>Water</u>: Comparison of water impacts considers the potential for surface erosion delivery, and effects to riparian function including water quality and peak flows. The potential impacts to water quality are anticipated to be low for Alternative B and mitigated by the implementation of unmanaged riparian buffers. The potential impacts to water quality is also anticipated to be low for Alternative C, and will be mitigated by unmanaged riparian buffers. DNR's policy of maintaining significant canopy cover and structure within stream and wetland buffers is a means of ameliorating harvest effects on the sub-basin and the

APPENDIX A: Alternatives Comparison

watershed level considering that the largest, direct contributor to riparian function is from mature trees providing shade, large woody debris, leaf and needle litter, and retained root structure. While Alternatives A and B have no to low expected impacts to water quantity due to retention levels of hydrologically mature conditions, Alternative C is not anticipated to have significant changes in peak flows due to DNR's hydrologic maturity management in sub-basins and other mitigation measures outlined in the checklist.

Potential environmental impacts due to roads resulting from increased sedimentation affect both water quality and fish habitat. Alternative A has no added riparian impacts with no associated roadwork although no maintenance of roads and drainage structures would be performed under this alternative. Alternatives B and C have the same road work, therefore are viewed as equivalent for road-related impacts, including maintenance of existing roads and drainage structures to reduce potential sedimentation. These observations are all on a relative basis – because of the buffering systems and other required regulation and mitigation in riparian areas discussed above, none of the alternatives would create significant impacts to waters or fish.

<u>Plants/Animals</u>: The likelihood of impacts to plants and wildlife, including fish, from all alternatives is low. The higher level of harvest in Alternative C is mitigated through stream and wetland buffers which maintain riparian function and provide intact habitat corridor connectivity for other wildlife. Alternative A will have little to no impact on vegetation. Alternative C has the greatest impact due to the highest level of harvest. Expectations of negative impacts on a relative basis – because of the buffering systems and other mitigation incorporated into the proposal from DNR's Habitat Conservation Plan and other regulatory compliance discussed above, none of the alternatives would create significant impacts to vegetation and wildlife. A broader discussion of the expected impacts of Alternative C on riparian function, habitat for listed species, and forest biodiversity can be found in Appendix B, along with management strategies to mitigate those impacts.

<u>Built Environment Elements</u>: No meaningful differences in environmental impacts among alternatives emerge from the built environmental elements.

<u>Project Objective</u>: Alternative A does not meet the project objective of making the trust land productive by generating income for the trusts. It is not a "reasonable alternative" under SEPA. WAC 197-11-786. The expected revenue generated from Alternative B is very low, with financial viability tentative based on current market conditions. In other words, it may not produce sufficient income to off-set the expenses of harvest. Alternative C clearly provides the greatest revenue to the trusts and is most consistent with the Legislature's directives to DNR to manage forest lands sustainably, including offering the sustainable harvest level of timber for sale. RCW 79.10.300 - .340.

CLIMATE CHANGE SUPPLEMENT FOR THE LAST CROCKER SORTS RESALE TIMBER SALE

This project-level analysis provides information concerning the proposed project's expected impact on climate change, as well as discussion of how a changing climate may potentially impact the project site. This information is intended to inform the Responsible Official and the public. This analysis builds on earlier work that analyzes the impacts of the Department of Natural Resources' (DNR) land management practices in western Washington upon climate-related factors such as carbon emissions and sequestration, increased risk of wildfire, and wildlife habitat. Those analyses include:

- Alternatives for the Establishment of a Sustainable Harvest Level for Forested State Trust Lands
 in Western Washington, Final Environmental Impact Statement (FEIS), 2019 (see pp. 4-6 through
 4-17) (https://www.dnr.wa.gov/publications/amp sepa nonpro shc feis entire.pdf?uzo06i)
- Long-Term Conservation Strategy for the Marbled Murrelet, Final Environmental Impact Statement (FEIS), 2019 (see pp. 4-6 through 4-14)
 (https://www.dnr.wa.gov/publications/amp sepa nonpro mmltcs feis entire.pdf)
- Washington Forest Ecosystem Carbon Inventory: 2002–2016, 2020
 (https://www.dnr.wa.gov/publications/em_wa_carbon_inventory final 111220.pdf)

These studies provide different perspectives. The 2019 analyses are forward-looking projections of sequestration across DNR-managed forestlands in western Washington. Each management alternative and harvest scenario considered in those reports was expected to increase the total amount of carbon stored over time by DNR-managed forestlands in western Washington (see figures 4.2.1 and 4.2.2 in the Sustainable Harvest Level FEIS, for example).

The 2020 carbon inventory is a historical analysis of sequestration and storage across federal, state, and private forestlands in Washington. It is particularly useful for estimating rates of carbon sequestration for DNR-managed forestlands based on past management. The 2020 carbon inventory relied upon data from 9,978 forested plots throughout Washington in 2002–2011 and 2012–2016. The number of plots on DNR-managed forestlands was relatively small, which resulted in large margins of error (or confidence intervals) for carbon flux projections on DNR-managed forestlands (see Figure 4.9).

According to the United Nations' Intergovernmental Panel on Climate Change (IPCC), carbon in forestry is best understood through a landscape-level analysis of management practices. "While individual stands in a forest may be either sources or sinks, the forest carbon balance is determined by the sum of the net balance of all stands" (Nabuurs et al. 2007). While DNR concurs, a project-level carbon flux analysis for the Last Crocker Sorts Resale Timber Sale provides a complimentary datapoint. The following carbon analysis is an opportunity to better understand and communicate the carbon impacts of a single project within the broader context of DNR's land management. The methods used in this analysis are described in depth in the "Methodology for Carbon Analysis of Management Alternatives" section of this document. DNR anticipates revisiting this methodology over time as tools are refined and scientific understanding of these processes improves.

Last Crocker Sorts Resale Timber Sale, Olympic Region Analysis of Carbon Flux by Harvest Alternative

Unless otherwise specified, all carbon flux data in this report were calculated using the VERSION 1.0 Excel Workbook to Support 'Level I' Quantification Approaches for the Managed Forest Systems Chapter within the 2024 update to the USDA Publication Quantifying Greenhouse Gas Fluxes in Agriculture and Forestry: Methods for Entity-Scale Inventory. This tool was developed by the US Forest Service to support users in quantifying projected greenhouse gas flux from a range of forest management activities within the continental U.S. and is publicly available on the USDA website (https://www.usda.gov/oce/entity-scale-ghg-methods/download). Positive carbon flux numbers represent emissions to the atmosphere. Negative carbon flux numbers represent sequestration of carbon from the atmosphere in terrestrial carbon pools.

Estimated in-forest carbon at the project site before harvest ¹ :	66,052	tCO ₂ e
Alternative 1: No Harvest		
Estimated in-forest carbon at the project site in 50 years:	113,867	tCO ₂ e
Estimated net flux to the atmosphere after 50 years:	-47,815	tCO2e
Alternative 2: Commercial Thinning (Harvest of 33% Volume)		
Estimated in-forest carbon + harvested wood products (HWP) immediately following harvest:	60,188	tCO ₂ e
Estimated in-forest carbon + HWP through year 50 following harvest:	90,709	tCO ₂ e
Estimated net flux from initial emissions to the atmosphere at harvest ² :		
(sum of initial harvest effects + hauling emissions)	6,574	tCO₂e
Estimated net flux from project area to the atmosphere through year 50 after harvest:		
(initial emissions + subsequent changes in forest biomass and HWP)	-23,947	tCO₂e
Alternative 3: Variable Retention Harvest (Preferred Alternative)		
Estimated in-forest carbon + HWP immediately following harvest:	48,446	tCO₂e
Estimated in-forest carbon + HWP through year 50 following harvest:	87,275	tCO ₂ e
Estimated net flux from initial emissions to the atmosphere at harvest:		
(sum of initial harvest effects + hauling emissions)	18,316	tCO₂e
Estimated net flux from project area to the atmosphere through year 50 after harvest:		
(initial emissions + subsequent changes in forest biomass and HWP)	-20,513	tCO₂e
Carbon Impacts Contextualized		
Estimated time following harvest (preferred alternative) at which total timber sale system carbon (on-site + HWP from the project area) will reach pre-harvest levels:	24	years
Estimated time following harvest (preferred alternative) at which forestlands in the DNR region will sequester an amount of carbon equivalent to initial harvest effects and hauling emissions ^{3, 4} :	4.4	days
Estimated time following harvest (preferred alternative) at which all westside DNR forestlands will sequester an amount of carbon equivalent to initial harvest effects and hauling emissions ^{3, 4} :	1.1	days

Climate Impact: Carbon Flux

The proposed Last Crocker Sorts Resale Timber Sale project is generally a net emitter of greenhouse gasses from fossil fuel and biogenic sources in the short term. Fossil-fuel emissions from harvest equipment and log trucks represent an immediate flux of carbon into the atmosphere. The estimated emissions from those activities are relatively small compared to the total biogenic carbon stored in the sawlogs and pulpwood. Emissions from harvest activity and log hauling are not included in the tool developed by the US Forest Service. DNR has added these values to provide a more complete understanding of harvest-related emissions. The agency's approach to estimating those fossil fuel emissions is described in the "Methodology for Carbon Analysis of Management Alternatives" section of this document.

Biogenic emissions from harvest include the burning or decay of logging residues (i.e., logging slash). The US Forest Service carbon calculation tool used in this analysis assumes that all emissions from logging slash are released in year zero. This is not factually accurate unless piles are immediately burned following harvest. DNR frequently burns piles, but piles are often left to decay and/or the agency makes post-harvest areas available to the public for firewood gathering for personal use. The decision to burn piles is site specific and is based on wildfire risk, habitat and replanting considerations, weather, operational capacity, and proximity to human population centers. Unburned slash piles may take decades to completely decompose. However, since the tool includes all carbon released from harvest residues as part of the "initial emissions" of the harvest, calculations in this report reflect the immediate release of carbon from onsite logging residuals.

Wood removed from the project site will be used in an array of Harvested Wood Products (HWP), and different products emit carbon dioxide back to the atmosphere at different rates. For example, mills use sawdust, bark, chips, and other milling residuals as biofuels to generate electricity. (The Washington State Legislature has found electricity generated from woody biomass to be carbon neutral [RCW 19.285]). Some chips and bark may be sold as landscaping material. Pulpwood from the Last Crocker Sorts Resale Timber Sale project will likely be used to manufacture relatively short-lived products such as paper and cardboard. The carbon calculator developed by the US Forest Service assumes unlimited paper recycling with a 68% recycling rate and 70% efficiency (Murray 2024). Recycling delays the transfer of carbon back to the atmosphere and decreases market demand for fresh pulpwood. The vast majority of on-site carbon is stored in the wood of sawlogs, most of which will likely be used in long-lived construction and infrastructure projects (e.g. dimensional lumber, beams, flooring, siding, utility poles, and engineered wood products such as mass timber and plywood). Once those materials reach the end of their useful lives, most of that wood will be added to landfills where it will decompose very slowly due to anaerobic conditions (O'Dwyer et al. 2018).

Following harvest, carbon sequestration and storage will occur on-site in the form of trees growing within the Last Crocker Sorts Resale Timber Sale project area. In accordance with Forest Practices Rules, all even-age harvest units will be reforested within three years of completion of harvest (WAC 2223-34-010).

Emissions from harvest operations, log hauling, on-site decay of logging residues, and offsite decay of HWP are included in DNR's Analysis of Carbon Flux by Harvest Alternative. Likewise, carbon storage in HWP and in trees planted on-site following harvest are also included. A thorough description of the agency's process for conducting this analysis can be found in the "Methodology for Carbon Analysis of Management Alternatives" section of this document.

Mitigating Carbon Flux

DNR's forest management practices mitigate carbon emissions at both the landscape and project scale. On western Washington forested trust lands, conservation strategies established in DNR's Habitat Conservation Plan (HCP) (1997) create, protect, and enhance habitat for multiple riparian and upland species. As a result of these strategies, DNR leaves more carbon on the landscape when compared to even-age forest management that follows only forest practices rules. Examples include larger wetland and riparian buffers, more and larger leave trees, down wood in riparian management zones, conservation of tens of thousands of acres of northern spotted owl (*Strix occidentalis caurina*) and marbled murrelet (*Brachyramphus marmoratus*) habitat, management for other federal and state listed and candidate species, and protection of less common habitat elements such as caves and oak woodlands. In areas where DNR does manage timber for revenue, DNR tends to employ longer rotation ages than the industry standard, which produces stands that store more carbon and yield more timber (Carlisle et al. 2023).

In terms of stand-level carbon density in the Pacific Northwest, old-growth stands are important carbon sinks, even as their rate of carbon accumulation is lower when compared to stands in younger age classes (Gray 2016). In 2006, the Board of Natural Resources adopted the Policy for Sustainable Forests (PSF). The PSF includes a policy on old-growth stands in western Washington, which directs DNR to defer from harvest old-growth stands and to retain very large diameter and structurally unique trees on trust lands. In addition to helping the agency meet its conservation objectives, this policy protects the ecological and social benefits of old-growth stands and preserves these important carbon sinks. The Last Crocker Sorts Resale Timber Sale project does not include any harvest of old-growth stands.

Additional mitigation for harvest-related carbon emissions takes place on DNR's network of natural areas, where the agency permanently preserves some of the most carbon-dense natural landscapes in western Washington, including large patches of old-growth and mature second-growth stands. Natural areas are not trust lands, and they are not managed for revenue. However, most of the lands that DNR now manages as natural areas are former trust lands that the agency has transferred into permanent conservation status. Across western Washington, DNR conserves more than 120,000 acres of lands across an expanding network of Natural Area Preserves and Natural Resource Conservation Areas. DNR manages this system of forests, prairies, bogs, marshes, estuaries, and other exceptional sites for restoration, conservation, preservation, education, research, some recreation, and other non-extractive objectives.

Prompt, successful reforestation following harvest is a critical on-site activity that mitigates the carbon emissions associated with harvest. DNR replants using native seedlings grown from seed stock that matches the current seed zone of each unit. Planting site-appropriate tree species that are genotypically suited to the project site (i.e., elevation, aspect, soil type, moisture regime, etc.) improves the likelihood of a healthy, thriving new cohort. Following even-age harvest, DNR typically replants at a density of at least 300 trees per acre to ensure the legal minimum seedling survival of an average of at least 190 trees per acre in each unit. Where appropriate, the agency may opt to reforest through natural regeneration. The reforestation plan for the Last Crocker Sorts Resale Timber Sale includes planting seedlings at 350–400 trees per acre.

When all of these emission and sequestration factors are considered together, it is estimated that the volume of carbon stored at the Last Crocker Sorts Resale Timber Sale site, combined with carbon stored offsite in wood harvested from the project area in HWP, will equal pre-harvest levels in 24 years. DNR-managed forestlands across DNR's Olympic Region are expected to recover the emissions associated with the Last Crocker Sorts Resale Timber Sale in 4.4 days, and DNR-managed forestlands across western

Washington will absorb enough carbon within 1.1 days to make up for the emissions associated with this project. For these reasons, along with the mitigation measures enumerated throughout this document, the department considers the Last Crocker Sorts Resale Timber Sale to be an example of climate-smart forestry that aligns with legislative policy (specifically RCW 70A.45.090, which recognizes a sustainable forest products sector as an integral component of Washington's contribution to the global climate response and efforts to mitigate carbon emissions). While the Last Crocker Sorts Resale Timber Sale will temporarily decrease the level of carbon stored at the site, the project will have a minimal impact to the overall volume of carbon stored in DNR-managed forestlands in western Washington as well as the ability of DNR's forestlands to continue to sequester atmospheric carbon.

Methodology for Carbon Analysis of Management Alternatives

This section describes the methods used to estimate carbon storage and emissions resulting from proposed timber sales on DNR-managed forestlands in western Washington. The document's audience is the SEPA Responsible Official and parties interested in understanding the context for and assumptions behind chosen methods. As such, the agency assumes some knowledge of terminology and principles. DNR anticipates the accounting methodologies described herein will change over time as carbon assessment approaches are updated to reflect new knowledge, methods, tools, and/or datasets.

The USFS Carbon Accounting Spreadsheet Tool

While many carbon accounting tools exist (Zald et al. 2016), DNR requires a robust and vetted approach that is transparent, repeatable, and capable of using data already collected by the agency. Based on these criteria, DNR has selected a USDA Forest Service (USFS) carbon accounting spreadsheet tool ("tool" hereafter; Murray et al. 2024) to quantify greenhouse gas sources and sinks within managed forests and HWP pools. The tool is consistent with IPCC Tier 2 approaches due to the level of methodological complexity and because the tool utilizes region-specific data (Murray et al. 2024).

The USFS tool estimates net carbon emissions by tracking changes in forest biomass and harvest-related carbon fluxes, both initially and over 50 years following timber harvest and reforestation. The tool's inforest carbon estimates are derived from Forest Inventory and Analysis (FIA) data, a national network of permanent forest plots distributed in a statistically robust fashion and remeasured on a decadal basis. Plot measurements include a broad suite of forest metrics that can be used to estimate carbon stocks (standing biomass) and fluxes (changes in biomass). The tool includes all forest carbon pools other than soil carbon, which is not collected as part of the FIA protocol. While soil carbon is the single largest carbon pool in many forests, soil carbon is rarely measured in protocols for two reasons. First, soil carbon data is difficult, time-intensive, and costly to collect. Second, mineral soil carbon changes very slowly and is thus often excluded from project assessments. The Forest Service provides more information on the national field data collection program, as well as specific field protocols, here: https://www.fs.usda.gov/research/programs/fia.

For HWP, the USFS tool "applies the IPCC-guided production approach of HWP carbon accounting, in which carbon contained in wood and wood products remains in the account of the producing entity regardless of where the wood or wood product is used (Brown et al. 1998)" (cited in Murray et al. 2024). Consistent with IPCC guidance, HWP are therefore considered part of the DNR carbon analysis. The tool estimates HWP in different end-use pools (e.g., paper, lumber, landfill) as well as their decay over time based on either lookup tables developed by Smith et al. (2006) or the "chi-square, gamma" function (Murray et al. 2024).

The USFS tool does have an option to include estimated substitution effects (the potential carbon benefit of using wood products in lieu of other, more carbon-intensive products). The carbon impact of using wood products in place of non-wood building materials such as steel, concrete, and plastic is likely substantial. Franklin et al. (2018) calculated that when substitution is included, sustainably managing a stand to produce wood products for two 70-year rotations could exceed the total carbon benefits of letting the stand grow for that same period. However, the carbon analysis in this report excludes substitution because assumptions around substitution vary widely and can have a large influence on whether, and by how much, the impact of an activity is a net carbon source or sink (Harmon 2019).

Leakage (the potential that unharvested wood from one area will be replaced in the market with wood cut from another location) is also excluded from this analysis. Leakage is not estimated in the USFS tool. In general, excluding both substitution and leakage considerations from this analysis results in a lower estimate of stored carbon under active management when compared to not harvesting. Although minimizing both leakage and substitution can potentially result in substantial positive climate effects, DNR's current inability to reliably predict how outside market forces would lead to increased harvests elsewhere or substitution of more carbon-intensive building materials leads us to exclude those factors per WAC 197-11-080.

The tool requires a minimal set of inputs to produce estimates of carbon storage and flux for a suite of possible management treatments (i.e., harvest, reforestation, and extended rotation). The basic tool inputs include the management treatment, acreage of activity, forest type group, forest origin (natural or planted), and forest age class. For any active management, the tool uses estimated harvest volumes and log types (sawlog, pulpwood, fuelwood) when known. If unknown, it will generate results based on estimates specific to the region and forest type. DNR sources for the required inputs to the tool are further described below.

Alternatives and Data Sources

For the current carbon alternatives analysis, DNR used the USFS tool to examine three different alternatives: no harvest, thinning only, and a variable retention harvest (VRH). The no-harvest alternative leaves all units within the proposed timber sale (that would otherwise be harvested) to grow without management intervention. The thinning scenario projects ~33% of the standing tree volume in each harvest unit is harvested and ~67% continues to grow in place. The VRH alternative assumes 100% of the volume outside of protected areas and leave trees/clumps is harvested and then replanted following harvest. All three alternatives are further discussed below.

Most of the data used to compare the three alternatives originates from DNR's timber sale cruise report. Each timber sale is divided into units, and the report includes the cruise acres, species, timber volume, and timber grade for each unit. The total area analyzed is held constant across alternatives and comes directly from each unit's "cruise acres" value in the cruise report. The term "cruise acres" refers to the area that is designated for harvest activities and excludes areas that store carbon but are set aside for ecological reasons through existing policies, procedures, and laws, such as old-growth stands, northern spotted owl and marbled murrelet habitat, leave trees, potentially unstable slopes, wetland management zones, and riparian management zones. Excluding these areas from this analysis results in lower carbon storage estimates for VRH and thinning management alternatives relative to the no harvest scenario.

To determine the unit's forest type group and ensure consistency between data sources and the USFS tool, we followed the FIA field protocol (Burrill et al. 2024) to assign each unit to one of several forest groups (i.e., Douglas-fir, fir/spruce/mountain hemlock, hardwood group, or hemlock/sitka spruce). Forest group designation was based on identifying the individual species in the cruise data with the plurality of

the timber volume. The USFS tool requires the user to identify forest group because carbon storage potential and rate of carbon sequestration differ by forest group. DNR developed the following ruleset, which may be modified over time as new species appear in the cruise data, or as methods and/or data sources change:

- Hardwood group Alder, big leaf maple, and other hardwood species collectively comprise the majority of the volume
- Fir/spruce/mountain hemlock group Silver fir, mountain hemlock, noble fir, or other higher elevation cold species individually comprise a plurality of the volume
- Hemlock/sitka spruce group Sitka spruce or western hemlock comprise a plurality of the volume
- Douglas-fir group Douglas-fir comprises a plurality of the volume

The general age of the unit, called "age class," is a required tool input that is not found in the cruise report. Rather, age class is determined from either a stand origin assessment form associated with the proposed timber sale, or, if the stand origin assessment form is unavailable, the "Combined Origin Year" layer which is included as part of DNR's remotely sensed inventory (called RS-FRIS). Stand origin data is included in section 11.b. of the SEPA checklist associated with each timber harvest project.

Timber volume is used for the VRH and thinning alternatives. For each unit, timber volume is separated into pulpwood and sawlogs. DNR's cruise data uses different categories for logs compared to the tool. Since the USFS tool does not enable a finer differentiation than saw logs and pulpwood, for now DNR has counted all "4 Saw" as pulpwood. While it is a near certainty that a significant portion of "4 Saw" logs will be utilized to manufacture dimensional lumber, some portion of it will also be used as pulp. This decision results in lower carbon storage estimates for VRH and thinning management alternatives.

Differentiating volume into pulpwood and sawlogs provides more realistic HWP pathways and associated carbon storage, decay rates, and carbon emissions. The agency may adjust this approach in the future to more accurately estimate the lifecycle of the logs at the project site. While total volume estimates from the cruise report are used for the VRH alternative, timber harvest volume for the thinning alternative is assumed to be ~33% of the VRH volume.

Emissions from Land Management Activities

Aside from carbon fluxes associated with changes in biomass over time, two additional sources of emissions associated with a timber sale include the fuel used for the harvest operation itself (harvest operation emissions), and the fuel consumed by the trucks driving harvested logs to domestic mills for further processing (hauling emissions). Neither harvest operation nor hauling emissions is part of the USFS tool, but DNR is interested in capturing these emissions in its analysis nonetheless.

DNR uses a number developed by Sonne (2006) to estimate per-area harvest operation emissions, which the author derived as part of a carbon lifecycle analysis of privately managed Douglas-fir forests in western Oregon and Washington. Survey results suggested that harvesting activities emitted an average of 5.9 metric tons of CO₂e per hectare, which represents various combinations of pre-commercial thinning, commercial thinning, and commercial harvests (Sonne 2006). While it is uncertain if DNR-specific harvesting activities are greater or less than this value, both the study geography and focus on Douglas-fir provide a reasonable region-specific approximation of harvest operation emissions from harvest activities.

Hauling emissions require estimates of mill distance(s), the amount of volume carried by a typical logging truck, the average logging truck miles per gallon (both loaded with timber and unloaded), and the amount of carbon emitted for each gallon of diesel fuel used. Although this carbon calculation worksheet is completed as part of the SEPA process, the auction has yet to occur and the apparent purchaser is yet unknown. This means that the destination for the logs from a given project is unknown at the time of calculation. To address this unknown value, DNR examined the distance from each DNR planning unit to the nearest and second-nearest major conifer mill. DNR planning units are nested within larger DNR districts, which are themselves nested within DNR regions. To estimate carbon emissions associated with hauling, DNR staff developed region-specific haul distances by averaging the distance to the nearest and second-nearest mill across all DNR planning units and districts within the timber sale region (Table 1). DNR used the average distance to the nearest and second-nearest mills, rather than only the distance to the nearest mill, in recognition that some volume is likely to travel further distances during some timber sales. Averaging multiple mill distances likely results in an overestimation of hauling distance and therefore assumes greater carbon emissions.

Table 1: Haul distances (in miles) to the two closest conifer mills within each DNR district, which are collectively averaged across the region.

ne region.				
DNR Region	DNR District	Haul Miles to Nearest Major Conifer Mill	Haul Miles to Second- Nearest Major Conifer Mill	Region Average (in Miles)
South Puget Sound	Black Hills	23.0	31.5	
	Hood Canal	33.0	51.5	35.9
	Rainier	33.5	43.0	
Pacific Cascade	Lewis	35.0	46.0	40.6
	St. Helens	32.7	46.0	
	Yacolt	33.0	51.0	
Olympic	Coast	74.8	96.6	
	Ozette	55.5	127.0	80.2
	Straits	32.6	94.6	
Northwest	Baker	37.5	62.5	
	Cascade	63.0	66.5	50.8
	Clear Lake	30.0	45.0	

DNR used an average haul volume of 4,667 board feet, based on a 2017 internal study evaluating data from $^{\sim}$ 7,000 individual truckloads in western Washington. DNR also assumed an average miles per gallon (mpg) value of 5.1, based on a log trucking cost analysis by Mason et al. (2008). Five and one tenth mpg is an average across a loaded and unloaded truck, which is the proper way to estimate miles per gallon, as each load is a round trip into (unloaded) and out of (loaded) the project area. Lastly, DNR used the United States Environmental Protection Agency's "Greenhouse Gases Equivalencies Calculator – Calculations and References" to estimate how much carbon is emitted when one gallon of diesel fuel is consumed. That value is 0.01018 metric tons of CO_2 e per gallon. With all these values, DNR can estimate the number of loads required for a given timber sale volume, the total round-trip haul distance, total fuel consumed, and thus the total haul emissions for a timber sale.

Calculations

No harvest alternative

For this calculation, the tool is run under the "Basic projection under forest maintenance" scenario in the USFS tool, using cruise acres, forest group, and stand age information associated with the proposed timber sale and/or RS-FRIS. The tool is run for each harvest unit in the timber sale because different units may be associated with different attributes such as forest group and stand age.

Thinning alternative

Under the thinning alternative, the tool is run twice for each timber sale unit. In one instance the tool is run assuming 33.33% of the pulpwood and saw logs for the unit in the timber sale packet will be immediately harvested. The tool applies default values for how much harvested tree mass becomes HWP (parsed into lumber and pulp based on unit-specific cruise data), fuelwood, and harvest residue that decays on-site. The remaining 66.67% of the volume continues to grow under the "Basic projection under forest maintenance" scenario. As a final step, values from both instances of the tool are then combined, and harvest operation and hauling emissions are added (assumed to be 33.33% of the emissions found under the VRH alternative described below).

Because the USFS tool is not specifically designed to address forest thinning, DNR's approach to model a thinning alternative does not spatially represent a thinning on the ground. Where an actual thinning would space harvested trees throughout the unit until 33.33% of the volume is removed, this analysis effectively assumes all trees within a third of the total cruise area are harvested (and that the harvested volume represents 33.33% of the total unit volume). In terms of volumes of carbon stored and emitted, this approach results in values similar to a typically implemented thinning.

This approach does not capture future carbon storage resulting from increased understory recruitment and overstory tree growth stimulated by canopy opening, which over time can make up for a portion of the reduced overstory biomass, rendering thinned mature stands of statistically similar carbon storage when compared to unharvested mature stands (Williams and Powers 2019). A final aspect not captured by the thinning scenario is any additional roads that might be built in this scenario for equipment to feasibly access interior portions of a thinned unit. Overall, projections of carbon growth for the analysis of a thinning alternative are likely conservative.

DNR staff consulted with the developers of the USFS tool in the Spring of 2024 and confirmed the validity of the above approach to represent a thinning alternative.

Variable Retention Harvest Alternative

Like the thinning alternative, the tool is run twice for each timber sale unit under the VRH alternative. First, 100% of the pulpwood and sawlogs are harvested from the cruise unit area. The tool applies default values for how much harvested tree mass becomes HWP (parsed into lumber and pulp based on unit-specific cruise data), fuelwood, and harvest residue that decays on-site. Next, 100% of the harvested area is then reforested with planted seedlings. Harvest operation and hauling emissions are then calculated and added, based on the harvested volume and timber sale location.

Recording Carbon Stock and Flux Outcomes

For each alternative, carbon stocks and fluxes are summed across all proposed timber sale units, and the resulting values are recorded in the timber sale "Analysis of Carbon Flux by Harvest Alternative" worksheet. Within the worksheet, DNR also records values under "Carbon Impacts Contextualized" to place all harvest-related emissions, including harvest operation and hauling emissions, along with carbon storage in live trees and the HWP pool, within a context of forest growth and carbon sequestration

across three different spatial scales: harvested area, the administrative region where the sale occurs, and all DNR-managed forestlands in western Washington (i.e., the broader landscape). While the finest scale of analysis may be of interest to some, it is the agency's position that analyzing carbon at the scale of an individual project is inconsistent with IPCC best practices (Nabuurs et al. 2007). Indeed, no DNR timber sale is developed in isolation. Rather, each project is developed while considering forest growth across DNR-managed forestlands across the DNR region and across western Washington (see, for example, Alternatives for the Establishment of a Sustainable Harvest Level for Forested State Trust Lands in Western Washington, FEIS). For this reason, DNR compares emissions from a single project against forest growth at the region and westside scales.

At the timber sale scale, the time for the system to recover to pre-harvest carbon storage is computed based on the tool's outputs for forest growth and decay of various components, including HWP, and accounting for harvest operation and haul emissions (see below). DNR first calculates an annual rate of change by subtracting the total carbon stock at year zero from the total carbon stock at year 50 (the analysis window for the no harvest, thinning, and VRH alternatives). The total carbon stock at year zero includes the stocks of all in-forest pools that are not harvested timber volume (Box H in the tool results tab), plus HWP. The total carbon stock at year 50 includes the stocks of all in-forest pools that were not harvested timber volume (including the decay of dead components left behind), plus 50 years of net stand growth following reforestation, plus the remaining carbon estimated to still be stored in HWP. This differenced value is then divided by 50 to estimate an annual rate of carbon change between the two time periods. The annual rate of change assumes linear growth, rather than a perhaps more realistic geometric curve, because it is simpler to calculate and provides a reasonable approximation of actual carbon sequestration rates over time. This annual rate of change is iteratively added to the total carbon stock at year zero under the VRH alternative until the sum equals the pre-harvest carbon stock (plus harvest operation and hauling emission). The time at which this occurs is rounded up to the nearest full year.

At the broader scales (and consistent with IPCC principles), DNR also demonstrates the time it takes for forest growth across a given landscape to equal/offset all initial harvest-related emissions for a timber sale. Carbon flux values for the DNR region and broader westside DNR landscape are derived from the FIA carbon inventory report developed for DNR (Christensen et al. 2020). When examining only growth and natural mortality, Christensen et al. (2020) estimated the total westside DNR carbon flux to be 6.14×10^6 metric tons of CO_2e per year. Dividing the total harvest emissions at year zero under the VRH alternative by 6.14×10^6 results in an estimated duration necessary for the landscape to sequester the amount of carbon lost due to harvest (plus emissions from harvest operations and hauling).

To estimate how long a specific DNR region requires to sequester the initial carbon emissions from a timber sale, the same analysis is repeated, but 6.14x10⁶ is first multiplied by the percentage of forestland within the DNR region of interest relative to all DNR-managed forestlands in western Washington. Acreage values listed in Table 2 were downloaded from DNR's data cubes. The results of these comparisons are presented in days rather than a decimal fraction of a year. These latter two calculations do not include factors to account for other simultaneously occurring harvests, planned or sold timber sales that have been delayed, or any additional biomass that accumulates at project sites during a typical 2- or 3-year contract period. Very small harvest units designed to daylight roads or clear areas for rights of way are also not included as they will not be replanted and will instead be managed for vehicle access.

Table 2: Forested acres and percent of all western Washington DNR-managed forestlands located within each DNR region. Data is accurate as of July 12, 2024.

Region	Forested Area (in Acres)	Percent of Total Area
Northwest	359,433	24.2%
Olympic	364,061	24.5%
Pacific Cascades	424,230	28.6%
South Puget Sound	337,414	22.7%
Total	1,485,138	100%

Impacts to the Last Cocker Sorts Resale Project Site from Climate Change

As DNR manages its portfolio of lands into the future, the impacts of anthropogenic climate change will gradually introduce new management challenges. Estimating the future impacts of climate change upon a specific project area is a speculative endeavor. DNR's Last Crocker Sorts Resale timber sale project operations will last a few years, from timber harvest to reforestation. This analysis focuses on potential impacts to the project area resulting from climate change and the steps DNR is taking to mitigate the impacts of climate change and/or better understand the relationship between DNR's forest management and climate impacts.

Climate Impact: Reforestation

Compared to mature, established stands, young stands are less resilient to stressors such as heat and drought. Young trees store less water and have shallower root systems. While it is not possible to accurately predict the frequency, location, or intensity of future droughts and other climatic events that may impact seedling survival, DNR expects climate change to increase summer moisture stress when compared to summers in the past. Heat-related seedling mortality at this site is one potential outcome that is more likely in the context of a changing climate. However, it is not yet possible to reliably quantify that site-specific change in likelihood—nor is it possible to quantify how the Last Crocker Sorts Resale Timber Sale will impact the likelihood of drought in western Washington.

Mitigating Impacts to Reforestation

The Last Crocker Sorts Resale Timber Sale project was designed to mitigate potential challenges to reforestation. It consists of 141 acres of variable retention harvest (VRH). VRH techniques remove timber while sustaining important ecological functions, legacy trees, and structural elements from the previous dominant cohort such as snags, old and structurally unique trees, leave trees of various species and age classes, down wood, and significant logging slash (Franklin and Donato 2020).

In addition to leave trees within harvest units, mature stands located within adjacent unharvested areas (e.g. riparian and wetland management zones, potentially unstable slopes, etc.) provide some shade to the harvest areas, and they function as a natural source of site-adapted seed from hardwood and conifer species. Shade from logging slash and leave trees within harvest units helps retain soil moisture, which improves the likelihood that reforestation will be successful in the years immediately following harvest.

While some new trees will be seeded from leave tree clumps, legacy trees in adjacent stands, and riparian and wetland buffers, the primary means of reforestation at the project site will be through planting. In accordance with RCW 76.09.070 and WAC 222-34-010, all VRH units in the Last Crocker Sorts Resale Timber Sale area will be reforested within three years of final harvest. This area will be planted with a mix of native, climatically suitable conifer seedlings. Following the first growing season after planting, DNR foresters will conduct a survival survey at the project site to ensure an adequate number of seedlings have survived to establish a healthy, vibrant young stand. If not, foresters will prescribe interplanting to immediately address any pockets of seedling mortality.

DNR sources various species of tree seed from across the state and at various climatic zones, elevations, and soil types. Replanting with native seed acquired from similar microclimates increases the likelihood of a healthy and vibrant young stand that is suited to the project area. As climate change creates stress and variable adaptation conditions, it is important to evaluate seed sources that have evolved in climatic conditions similar to what is expected in the near future at the planting site. In May of 2022, DNR's forest geneticists and silviculture scientists initiated a seed source trial to explore how various seed sources perform in changing conditions within Washington. That study is ongoing. The results of this study will inform DNR's reforestation and forest resilience programs into the future.

DNR is also working closely with the USFS to rehabilitate 25 seed orchards on USFS land. These seed orchards (along with DNR's Meridian Seed Orchard and dozens of gene pool reserves on DNR trust lands across western Washington) are repositories of vital genetic diversity that will enable DNR and other forest managers to source seed and seedlings with the right adaptive characteristics for a changing climate. Maintaining these seed sources mitigates against the potential negative impacts that climate change may have on reforestation efforts following harvest by ensuring a biologically diverse stock of seeds that are adapted to various climates and sites across the region. This diverse seed stock also positions DNR to match genotypes to sites based on anticipated changes to climate.

Climate Impact: Changes in Precipitation and Hydrology

Climate models project warmer air temperatures in the Pacific Northwest, with increases in winter precipitation and decreases in summer precipitation (Dalton et al. 2013; Mauger et al. 2015). Overall, precipitation will be more likely to fall as rain rather than snow, impacting the timing and volume of peak flows as well as other aspects of hydrology (Elsner et al. 2010). Timing, type, and volume of precipitation can impact stream hydrology. In addition to higher winter stream peak flows, decreased stream flows are projected during summer months (i.e., lower lows) as a result of climate change, which can contribute to decreases in the volume of water in streams and increases in stream temperatures, although such temperature changes will vary both within and among river networks (Isaak et al. 2017). These predicted changes in hydrology are generally expected across western Washington regardless of timber harvest patterns.

Timber harvest and road building can cause hydrologic changes. Canopy removal reduces interception of precipitation and evapotranspiration (Moore and Wondzell 2005 and Grant et al. 2008). As the amount of water reaching the soil increases, shallow subsurface flow and surface runoff increase, leading to increases in stream peak flows. In Pacific Northwest coniferous forests, the largest changes in peak flows occur during the first 2–5 years following harvest, with changes in peak flows reported to last up to 20 years (Grant et al. 2008). Flow rates that result from rain events with ≤ 6-year return intervals are affected. Flows larger than a 1.2–1.5-year event typically carry most sediment in the Pacific Northwest (Castro and Jackson 2001), so changes in peak flow rates caused by forest management can lead to increases in cumulative sediment transport from a basin.

Forest management may impact low flows. Evapotranspiration rates change as trees grow, and converting a mature stand of trees to a vigorously growing young stand can reduce the amount of water available for runoff. In small, even-aged headwater basins, once a stand is older than roughly 15 years, evapotranspiration rates increase and eventually exceed evapotranspiration rates typical of an older forest (Perry and Jones 2017). Perry and Jones (2017) compared stream flow from four small, homogenous headwater basins comprised of 34–43-year-old forests to stream flow from eight small homogenous headwater basins of 150–500-year-old forests. In contrast, DNR typically operates in large watersheds comprised of structurally heterogenous and variable-aged stands that are shared with other landowners with different forest management plans. Perry and Jones (2017) acknowledge that "[c]ontinued research is needed using long-term paired-basin studies and process studies to determine the effects of forest management on streamflow deficits in a variety of forest types and forest management systems."

Mitigating Impacts of Changes in Precipitation and Hydrology

DNR's State Lands HCP includes several management restrictions that mitigate the impacts of timber harvest on stream hydrology and riparian habitat (see section 13). For example, DNR manages for hydrologic maturity in the rain-on-snow zone (1,200-4,000 feet in elevation). Hydrologic maturity is the degree to which hydrologic processes (e.g. interception, evapotranspiration, snow accumulation, snowmelt, infiltration, runoff) and outputs (e.g. water yield and peak discharge) in a particular forest stand approach those expected in a mature stand under the same climatic and site conditions. A hydrologically mature forest with respect to rain-on-snow runoff is a well-stocked conifer stand that is at least 25 years old. The objective when managing for the amount of hydrologically mature forest within a given subbasin is to limit damage to salmonid habitat during peak flows associated with rain-on-snow events. For the purposes of evaluating hydrologic maturity, a subbasin is the area of a watershed that encompasses and drains into a type-3 stream (a type-3 stream being the smallest fish-bearing stream classification). Small subbasins are combined to create subbasins that are at least 1,000 acres. Where DNR manages most of a subbasin and at least one third of that subbasin is in the rain-on-snow zone, the agency mitigates the potential for increases in peak flows by ensuring that at least 67% of DNR-managed forestlands within the rain-on-snow zone of the subbasin are maintained in a hydrologically mature condition. Maintaining at least two-thirds of the acres of DNR-managed forestlands within the rain-onsnow zone of each subbasin in a hydrologically mature condition mitigates damage from peak flow during rain-on-snow events.

The Last Crocker Sorts Resale Timber Sale project lies within the Discovery Bay and the Little Quil Watershed and is not within a rain-on-snow zone.

DNR mitigates the potential for increases in stream temperature by applying contiguous stream buffers that are wider than what is required under forest practices rules. These buffers, which lie between the harvest unit and the stream channel, are called riparian management zones (RMZs). Compared to the minimum standards required by state law, wider riparian buffers (such as those described in the State Lands HCP) provide more protection from the potential impacts that harvests and forest roads can have on hydrology. RMZs intercept overland flow before it reaches the stream, provide shade (which cools flowing water), stabilize stream banks (which mitigates delivery of sediment to the stream and the channel aggradation), recruit instream wood (which alters channel hydrology and sediment transport and creates deeper, cooler pools that can moderate stream temperatures during warmer months and provide refugia for fish and other species), and maintain riparian microclimates. DNR's Riparian Forest Restoration Strategy guides foresters in the application of riparian enhancements to accelerate

restoration of riparian habitat, including thinnings and the placement of large wood in streams, among other habitat enhancements (Bigley and Deisenhofer 2006).

As part of DNR's Adaptive Management program (described in the HCP), DNR scientists are conducting extensive, long-term research and monitoring in the Olympic Experimental State Forest (OESF) to better understand the relationships between DNR's timber management practices, riparian habitat, and stream conditions. The purpose of adaptive management is to collect and use scientific information to improve land management practices across DNR's forested trust lands. DNR's Status and Trends Monitoring of Riparian and Aquatic Habitat project is an ongoing effort to monitor the effectiveness of the HCP's Riparian Conservation Strategy, which aims to maintain and improve habitat for salmonids and other species. This project includes ongoing monitoring of 50 DNR-managed watersheds in the OESF for nine indicators of habitat quality, including water temperature and stream flow.

In the 2013–2020 report for the Status and Trends Monitoring of Riparian and Aquatic Habitat in the Olympic Experimental State Forest, Devine et al. (2022) found that, in all sampled streams, riparian buffers have produced multiple habitat benefits including stream temperatures and riparian microclimates that remained cool during the summer. It remains difficult to quantify the relationship between DNR timber harvest and stream flow, as the water feeding any given stream typically comes from a large landscape managed by multiple landowners following different rulesets. Rarely is the majority of a given landscape predominantly young forest. This is especially true in scenarios where DNR manages a majority of a basin. For example, in the OESF, only about 10 percent of each type-3 watershed is typically harvested in a given decade. This is roughly the case for DNR-managed forestlands across western Washington.

Finally, to limit the negative impacts of DNR's activities on watershed systems, the agency's Policy for Sustainable Forests includes a Policy on Watershed Systems that generally limits the size of even-age harvest units to 100 contiguous acres, even though forest practices rules allow individual units of up to 240 contiguous acres. Exceptions to DNR's 100-acre limit are rare and include situations where a larger harvest unit size would have an ecological benefit (e.g. less road construction), or the agency needs to address a forest health-related issue such as damage by fire, insect, disease, or windthrow. The evenage units of the Last Crocker Sorts Resale Timber Sale are all ≤ 100 acres in size.

Climate Impact: Invasive Plant Species

It is possible that a changing climate will increase the likelihood that invasive plants will take root in timber sale units where variable retention harvests have occurred. Invasive plants compete for resources against native plant species, including tree seedlings and native understory species.

Mitigating Impacts of Invasive Plant Species

DNR mitigates against the impacts of invasive plant species. Following harvest and prior to replanting, foresters will inventory the site and develop prescriptions for herbicide application. These applications are typically done by hand on DNR-managed forestlands, rather than by aerial means. Contracts for both methods of application are designed to ensure a maximum degree of control and reduce adverse impacts associated with inaccurate spray delivery. When DNR staff determine that an aerial application is better suited to the site, staff employ contract clauses that require GPS tracking to quickly identify any potential overspray into habitat areas.

Throughout the Discovery Bay and the Little Quil Watershed, the Olympic Region engineering program proactively and regularly surveys the forest road network—including any newly constructed roads associated with the Last Crocker Sorts Resale Timber Sale project—and treats weeds along roadsides using herbicide. In addition to regular surveys, herbicide application in this area is responsive to the requests of, and compliant with the priorities established by, the Jefferson County Noxious Weed Control Board.

DNR follows integrated pest management principles when controlling invasive plant species—a combination of chemical, mechanical, and cultural techniques to control the spread of harmful plant species and fungal pathogens. The agency's control of invasive species begins at the nursery where soil pathogens are carefully monitored and eliminated. Chemical herbicide prescriptions in the forest are developed to apply the least amount of the narrowest spectrum and least persistent chemicals to feasibly and efficiently achieve prompt reforestation. DNR maintains compliance with third-party sustainable forestry standards that describe current best management practices for reforestation and invasive species control in the Pacific Northwest. All herbicide applicators are trained and licensed in accordance with state and federal laws.

Climate Impact: Wildfire Risk

Wildfire is a natural disturbance to forests in western Washington (Agee 1993, Van Pelt 2007). Climate change may bring warmer, drier summers to westside forests which will foster conditions more conducive to wildfire. While area burned may increase (Rogers et al. 2011, Halofsky et al. 2018), there is no evidence that east winds, a key ingredient associated with the largest wildfires west of the Cascade crest (e.g., the 1902 Yacolt fire and 2020 Labor Day fires), will increase (Mass et al. 2022). Nonetheless, an increase in warmer and drier conditions and a likely seasonal expansion of those conditions increases the chance of overlap with east wind events, and this increases wildfire danger for all stands, regardless of age class. While stand structure and age do not appear to influence wildfire severity during wind-driven events (Reilly et al. 2022), there is some evidence to suggest younger dense stands may be likelier to severely burn when winds are absent (Busby et al. 2023).

Mitigating Impacts of Wildfire

While it is possible that harvest activities can ignite fires, DNR uses Industrial Fire Precaution Levels (WAC 332-24-301) to limit or shut down activities such as harvest operations during periods of high fire danger (i.e., high temperature, low humidity, high winds, etc.). During periods of elevated fire risk when harvest operations are allowed, the timber harvester will be required to provide a fully functional pump truck or pump trailer to meet the specifications of WAC 332-24-005 and WAC 332-24-405. All timber harvest activity during the summer fire season will follow site-specific equipment restrictions appropriate for the Industrial Fire Precaution Level. This system helps prevent human-caused wildfires by regulating work in the woods.

Fuel reduction measures at the project site can include locating piles of logging residues away from structures on adjacent private lands. Harvest units of the Last Crocker Sorts Resale Timber Sale project area are not adjacent to homes or other developed lands. Piles of logging slash at the Last Crocker Sorts Resale Timber Sale project area may be burned based on wildfire risk, habitat and replanting considerations, weather conditions, and operational capacity.

DNR is legally obliged to actively suppress all wildfires on state trust lands. Active forest management for timber production can play a role in the agency's ability to fight wildfire, especially as new or improved forest roads are built to access project sites. The Last Crocker Sorts Resale Timber Sale project includes

3.24 miles of pre-haul road maintenance and 0.77 miles of newly constructed and reconstructed roads. All of DNR's active forest roads are maintained to Forest Practices standards. Forest roads enable wildland firefighters to better access the harvest area to conduct fire suppression activities should a fire occur, and they may function as fuel breaks in the event of a fire.

Following a wildfire event on forested DNR trust land, DNR staff conduct an investigation to determine how the fire started. This information can be used to refine best management practices and decrease the risk of future wildfires. Foresters also survey the post-wildfire landscape to assess stand survival and determine appropriate next steps to achieve a healthy stand. Next steps can include a range of options from no action up to salvage harvest and/or replanting. Post-fire silviculture prescriptions are site specific and responsive to factors including, but not limited to, location, stand age, fire severity, seedling availability, habitat objectives, and whether and how the recreating public use the area.

Notes

- 1 Carbon stores and fluxes are expressed in metric tons of carbon dioxide equivalents (tCO₂e). A CO₂e is a unit of measurement that standardizes the climate effects of various greenhouse gasses. It allows users to express the global warming potential of different pollutants using a common unit. One tCO₂e is the total greenhouse gas emissions with the equivalent radiative forcing, over a given time horizon, as one metric ton of carbon dioxide. Positive carbon flux numbers represent emissions to the atmosphere. Negative carbon flux numbers represent sequestration of carbon from the atmosphere in terrestrial carbon pools.
- 2 Emission factors considered in this analysis include plant decay, decay of harvested wood products (both in use and in landfills), harvest activity, and transportation of logs. Carbon storage factors include plant growth and carbon in harvested wood products (both in use and in landfills). The "Methodology for Carbon Analysis of Management Alternatives" section of this document contains a thorough discussion of DNR's approach to estimating emissions associated with harvest operations and hauling.
- 3 "Terrestrial carbon dynamics are characterized by long periods of small rates of carbon uptake, interrupted by short periods of rapid and large carbon releases during disturbances or harvest. Depending on the stage of stand development, individual stands are either carbon sources or carbon sinks [...] For most immature and mature stages of stand development, [forest] stands are carbon sinks. At very old ages, ecosystem carbon will either decrease or continue to increase slowly with accumulations mostly in dead organic matter and soil carbon pools. In the years following major disturbances, the losses from decay of residual dead organic matter exceed the carbon uptake by regrowth. While individual stands in a forest may be either sources or sinks, the forest carbon balance is determined by the sum of the net balance of all stands." (Nabuurs et al., 2007)
- 4 Future forest carbon stocks on DNR-managed forestlands are estimated using the Growth, Removals, and Mortality (GRM) methods described in the Christensen et al (2020) carbon inventory.

Literature Cited

Agee, J. K. 1993. Fire ecology of Pacific Northwest forests. Island Press, Washington D.C.

Bigley, R.E. and F.U. Deisenhofer. 2006 Implementation procedures for the habitat conservation plan riparian forest restoration strategy. DNR Scientific Support Section, Olympia, Washington. 96 pp. (https://www.dnr.wa.gov/publications/lm_hcp_rfrs.pdf).

Brown, S., B. Lim, B. Schlamadinger. 1998. Evaluating approaches for estimating net emissions of carbon dioxide from forest harvesting and wood products. Intergovernmental Panel on Climate Change. (https://www.ipcc-nggip.iges.or.jp/public/mtdocs/pdfiles/dakar.pdf).

Burrill, E. A., A. M. DiTommaso, J. A. Turner, S. A. Pugh, G. Christensen, C. J. Perry, L. C. Lepine, D. M. Walker, B. L. Conkling. 2024. Forest Inventory and Analysis Database, FIADB user guides, volume database description (version 9.2), nationwide forest inventory. U.S. Department of Agriculture, Forest Service. 1042 p. (https://research.fs.usda.gov/understory/forest-inventory-and-analysis-database-user-guide-nfi).

Busby S.U., A. M. Klock, J. S. Fried. 2023. Inventory analysis of fire effects wrought by wind-driven megafires in relation to weather and pre-fire forest structure in the western Cascades. Fire Ecology. Oct 10;19(1):58. (https://doi.org/10.1186/s42408-023-00219-x).

Carlisle, C., S. Fitzgerald, H. Temesgen. 2023. Modeling above-ground carbon dynamics under different silvicultural treatments on the McDonald–Dunn Research Forest. Forests 14,2090. (https://doi.org/10.3390/f14102090).

Castro, J. M., P. L. Jackson. 2001. Bankfull discharge recurrence intervals and regional hydraulic geometry relationships: patterns in the Pacific Northwest, USA. Journal of the American Water Resources Association, 37(5), 1249–1262. (https://doi.org/10.1111/j.1752-1688.2001.tb03636).

Christensen G. A., A. N. Gray, O. Kuegler, D. Siemann. 2020. Washington forest ecosystem carbon inventory: 2002–2016. Washington State Department of Natural Resources. 234 pp. (https://www.dnr.wa.gov/publications/em_wa_carbon_inventory_final_111220.pdf).

Dalton M. M., P. W. Mote, A. K. Snover [Eds.]. 2013. Climate change in the northwest: implications for our landscapes, waters, and communities. 271 pp. (https://cig.uw.edu/wp-content/uploads/sites/2/2020/12/daltonetal678.pdf).

Devine, W. D., T. Minkova, K. D. Martens, J. Keck, A. D. Foster. 2022. Status and trends monitoring of riparian and aquatic habitat in the Olympic Experimental State Forest: 2013-2020 results. Washington State Department of Natural Resources, Forest Resources Division. (https://www.dnr.wa.gov/sites/default/files/publications/lm_oesf_st_status2022.pdf).

Elsner M.M., L. Cuo, N. Voisin, J.S. Deems, A. F. Hamlet, J. A. Vano, K. E. Mickelson, S. Y. Lee, D. P. Lettenmaier. 2010. Implications of 21st century climate change for the hydrology of Washington State. Climatic Change. Sep; 102:225–6.

Franklin, J. F., D. C. Donato. 2020. Variable retention harvesting in the Douglas-fir region. Ecological Processes 9, 8. (https://doi.org/10.1186/s13717-019-0205-5).

Franklin, J. F., K. N. Johnson, D. L. Johnson. 2018. Ecological forest management. Waveland Press, Inc., Long Grove, IL. 646 pp.

Grant, G. E., S. L. Lewis, F. J. Swanson, J. H. Cissel, J. J. McDonnell. 2008. Effects of forest practices on peak flows and consequent channel response: a state-of- science report for western Oregon and Washington. Gen. Tech. Rep. PNW-GTR-760. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 76 pp.

Gray, A. N., T. R. Whittier, M. E. Harmon. 2016. Carbon stocks and accumulation rates in Pacific Northwest forests: role of stand age, plant community, and productivity. Ecosphere 7(1): e01224. (https://doi.org/10.1002/ecs2.1224).

Halofsky, J.S., D.R. Conklin, D.C. Donato, J.E. Halofsky, J.B. Kim. 2018. Climate change, wildfire, and vegetation shifts in a high-inertia forest landscape: Western Washington, U.S.A. PLoS ONE 13(12): e0209490. (https://doi.org/10.1371/journal.pone.0209490).

Harmon, M. E. 2019 Have product substitution carbon benefits been overestimated? A sensitivity analysis of key assumptions. Environmental Research Letters. 14 065008. (https://iopscience.iop.org/article/10.1088/1748-9326/ab1e95).

Isaak D. J., S. J. Wenger, E. E. Peterson, J. M. Ver Hoef, D. E. Nagel, C. H. Luce, S. W. Hostetler, J. B. Dunham, B. B. Roper, S. P. Wollrab, G. L. Chandler. 2017. The NorWeST summer stream temperature model and scenarios for the western US: A crowd-sourced database and new geospatial tools foster a user community and predict broad climate warming of rivers and streams. Water Resources Research. Nov;53(11): 9181–205. (https://agupubs.onlinelibrary.wiley.com/doi/10.1002/2017WR020969).

Mass C.F., E.P. Salathe, R. Steed, J. Baars. 2022. The mesoscale response to global warming over the Pacific Northwest evaluated using a regional climate model ensemble. Journal of Climate 35(6): 2035–2053.

Mason C. L., K. L. Casavant, B. R. Lippke, D. K. Nguyen, E. Jessup. 2008. The Washington log trucking industry: costs and safety analysis. The Rural Technology Initiative University of Washington and the Transportation Research Group Washington State University Report to the Washington State Legislature. 125 pp. (https://www.ruraltech.org/pubs/reports/2008/log_trucks/log_truck_report.pdf).

Mauger, G. S., J. H. Casola, H. A. Morgan, R. L. Strauch, B. Jones, B. Curry, T. M. Busch Isaksen, L. Whitely Binder, M. B. Krosby, A. K. Snover. 2015. State of knowledge: climate change in Puget Sound. Report prepared for the Puget Sound Partnership and the National Oceanic and Atmospheric Administration. Climate Impacts Group, University of Washington, Seattle. (https://data.cig.uw.edu/picea/mauger/ps-sok/PS-SoK 2015.pdf).

Moore, R.D. and S.M. Wondzell. 2005. Physical hydrology and the effects of forest harvesting in the Pacific Northwest: a review. Journal of the American Water Resources Association, v. 41 (4): pp. 763–784.

Murray, L. T., C. Woodall, A. Lister, C. Farley, H. Andersen, L. S. Heath, J. Atkins, G. Domke, C. Oishi. 2024. Chapter 5 Quantifying greenhouse gas sources and sinks in managed forest systems. In W. L. Hanson, , C. Itle, K. Edquist. [Eds]. Quantifying greenhouse gas fluxes in agriculture and forestry: methods for entity-scale inventory. Technical Bulletin Number 1939, 2nd edition. Washington, D.C.: U.S. Department of Agriculture, Office of the Chief Economist. (https://www.usda.gov/oce/entity-scale-ghg-methods/chapter-5).

Nabuurs, G. J., O. Masera, K. Andrasko, P. Benitez-Ponce, R. Boer, M. Dutschke, E. Elsiddig, J. Ford-Robertson, P. Frumhoff, T. Karjalainen, O. Krankina, W. A. Kurz, M. Matsumoto, W. Oyhantcabal, N. H. Ravindranath, M. J. Sanz Sanchez, X. Zhang. 2007. Climate Change 2007: Mitigation, Working Group III Contribution to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [B. Metz, O. R. Davidson, P. R. Bosch, R. Dave, L. A. Meyer (eds)]:547–549. (https://archive.ipcc.ch/pdf/assessment-report/ar4/wg3/ar4_wg3_full_report.pdf).

O'Dwyer, J., D. Walshe, K. A. Byrne. 2018. Wood waste decomposition in landfills: An assessment of current knowledge and implications for emissions reporting. Waste Management 73:181–188. (https://doi.org/10.1016/j.wasman.2017.12.002).

Perry, T. D., J. A. Jones. 2016. Summer streamflow deficits from regenerating Douglas-fir forest in the Pacific Northwest, USA. Ecohydrology, 10(2). (https://doi.org/10.1002/eco.1790).

Reilly M. J., A. Zuspan, J. S. Halofsky, C. Raymond, A. McEvoy, A. W. Dye, D. C. Donato, J. B. Kim, B. E. Potter, N. Walker, R. J. Davis. 2022. Cascadia burning: the historic, but not historically unprecedented, 2020 wildfires in the Pacific Northwest, USA. Ecosphere. Jun;13(6):e4070. (https://doi.org/10.1002/ecs2.4070).

Rogers B. M., R. P. Neilson, R. Drapek, J. M. Lenihan, J. R. Wells, D. Bachelet, B. E. Law. 2011. Impacts of climate change on fire regimes and carbon stocks of the US Pacific Northwest. Journal of Geophysical Research: Biogeosciences 116(G3).

Smith, J. E., L. S. Heath, K. E. Skog, R. A. Birdsey. 2006. Methods for calculating forest ecosystem and harvested carbon with standard estimates for forest types of the United States. U.S. Department of Agriculture, Forest Service. (https://doi.org/10.2737/NE-GTR-343).

Sonne E. 2006. Greenhouse gas emissions from forestry operations: a life cycle assessment. Journal of environmental quality 35(4):1439-50. (https://doi.org/10.2134/jeq2005.0159).

Van Pelt, R. 2007. Identifying mature and old forests in western Washington. Washington State Department of Natural Resources.

(https://www.dnr.wa.gov/publications/lm hcp west oldgrowth guide full lowres.pdf).

Williams N. G., M. D. Powers. 2019. Carbon storage implications of active management in mature Pseudotsuga menziesii forests of western Oregon. Forest Ecology and Management 15, 432:761-75. (https://doi.org/10.1016/j.foreco.2018.10.002).


Zald, H. S. J., T. A. Spies, M. E. Harmon, M. J. Twery. 2016. Forest carbon calculators: a review for managers, policymakers, and educators. Journal of Forestry 114(2), 134–143. (https://doi.org/10.5849/jof.15-019).

SALE NAME: LAST CROCKER SORTS RESALE

AGREEMENT#: 30-107867 TOWNSHIP(S): T28R2W

TRUST(S): State Forest Transfer (1)

REGION: Olympic Region
COUNTY(S): Jefferson
ELEVATION RGE: 280-680



Map may not be to scale

Timber Sale Unit
Highway
Haul Route
Other Road

Milepost Markers

Distance Indicator

●—● Gate AA-1

OO-O- Power Lines


DRIVING DIRECTIONS:

From Highway 104 just west of milepost 2 turn south on the PT-O-3000 under the powerlines. Go through the orange gate and follow the main road around for 0.3 mile to the yellow gate at the State property line. Travel 0.9 mile through this second gate to the PT-O-3200 junction. Stay straight for 0.5 mile to the end of the PT-O-3200 and walk in through Unit 5 tagged right-of-way to the top of Unit 2, or stay west on the PT-O-3000 for 0.4 mile to the middle of Unit 1. Continue on the PT-O-3000 for another 0.3 mile to the PT-O-3400 junction. Turn left and drive 0.4 mile to the end of the PT-O-3400 at the bottom of Unit 2, or only go 0.1 mile and park at the junction of the PT-O-3410 to walk in to Unit 6 tagged right-of-way and Unit 3. Turning right at the PT-O-3400 junction and driving 0.2 mile leads to Unit 4.

streams

Ν

Survey Monument



Ν

Ground Harvest

Contours 10 ft

Wetland Mgt Zone

Timing Restriction

Contours 10 ft

Ν

Timing Restriction